

Oracle 1Z0-434 Exam

Volume: 84 Questions

Question No: 1

Which Oracle Event Processing (OEP) data cartridge should you use to track the GPS location of buses and generate alerts when a bus arrives at its predetermined bus stop positions?

- A. JDBC Data
- B. Oracle Spatial
- C. Hadoop Big Data
- D. NoSQLDB Big Data
- E. Java Data

Answer: B

Question No: 2

The identity context is opaque to your web service client and web service and you don't need to perform any additional coding or processing in your client or service to support it after you enable identity context propagation.

Which Oracle SOA Suite component directly enables this behavior?

- A. Oracle Web Service Manager Policy Manager
- B. Oracle BPEL Process Manager
- C. Oracle Enterprise Manager
- D. Oracle User Messaging Service

Answer: D

Question No: 3

Which two statements are true about the defined Oracle JMS Adapter outbound connection?

- A. It supports connections to JMS distributed queues.
- B. It uses default credentials when connecting to the remote JMS provider.

Oracle 1Z0-434 Exam

- C. It supports zero message loss via distributed transactions.
- D. It requires the JMS consumer to explicitly commit transactions.

Answer: A,B

Question No: 4

Which two statements are true about working with tasks in Business Process Workspace?

- A. A user can create personal to-do tasks that are unassociated with a process instance.
- B. Delegating a task means to transfer the task to another user or group.
- C. You can see how long each completed step has taken to finish.
- D. You can display the process model and view the path a process instance has taken.

Answer: A,D

Question No: 5

For each enrollment request message, a health insurance carrier's web service always returns a response message acknowledgement the receipt of the enrollment request. If there are problems fulfilling the requested enrollment, the web service may respond at a later time with an additional response message detailing why the enrollment could not be fulfilled.

Which Oracle SOA Suite service component should be used to implement this integration pattern?

- A. BPEL Process
- B. Mediator
- C. Business Rule
- D. Human Workflow

Answer: C

Question No: 6

Consider the current values of BPEL variables InputVariable and OutputVariable:

Then consider the following BPEL activity Assign1:

```
<assign name="Assign1"><!-- Line 1 -->
```

Oracle 1Z0-434 Exam

```
<copy><!-- Line 2 -->
<from variable ="InputVariable"<!-- Line 3 -->
part = "query_Input"<!-- Line 4 -->
query="/ns2: query_Input/ns2:Row_Id"/><!-- Line 5 -->
<to variable ="OutputVariable"<!-- Line 6 -->
part = "query_Output"<!-- Line 7 -->
query="/ns2: query_Outnput/ns2:RowId"/><!-- Line 8 -->
</copy><!-- Line 9 -->
</assign><!-- Line 10 -->
```

Which two changes allow Assign1 to work with the current values of InputVariable and OutputVariable?

- A. adding the attribute `bpelx:insertMissingToData="yes"` to line 2
- B. adding the attribute `bpelx:insertMissingFromData="yes"` to line 2
- C. correcting the namespace prefixes in line 5
- D. correcting the namespace prefixes in line 8

Answer: B,C

Question No: 7

You have modeled a composite with an inbound adapter service wired to a BPEL process component. Which method do you use to model a rejection handler for the inbound adapter service?

- A. Define the rejection-handler logic in `rejection-handlers.xml` in the `$MW_HOME/soa/connectorsdirectory`.
- B. Define the rejection-handler logic inline as a child element of the `<binding.jca>` section of the inbound adapter in `incomposite.xml`.
- C. Define the rejection-handler logic in a top-level catch block in the BPEL process where the QName of the fault should be `bebpws:rejectedMessages`.
- D. Define the rejection-handler logic in `fault-policies.xml` for the composite, and then associate the `fault-policies.xml` with the composite.

Answer: D

Question No: 8

To support the deployment of a new provisioning system, a company wants to install and configure a production domain with Oracle SOA Suite and Oracle Service Bus.

Oracle 1Z0-434 Exam

Which statement is true about the required effort?

- A. Separate domains must be configured for Oracle SOA Suite and Oracle Service Bus.
- B. The Oracle Repository Creation Utility (RCU) must be run twice to create the required schemas.
- C. The installation of Oracle SOA Suite includes the installation of Oracle Service Bus.
- D. A supported version of WebLogic Server must be installed before installing Oracle SOA Suite.

Answer: D

Question No: 9

Which two statements are correct about the Oracle Enterprise Scheduler Service (ESS) facility?

- A. It is a Java EE application that is deployed to WebLogic Server to provide distributed job request processing across a single WebLogic Server or a collection of WebLogic Servers.
- B. It is shipped as a separate product and you can install it after you have completed the SOA Suite installation.
- C. It is used extensively by Fusion Applications so it is well-tested.
- D. It is administered via the WebLogic Server Administration Console.

Answer: A,D

Question No: 10

What two architectural factors most heavily influence the interoperability of the Oracle Adapters with Oracle Service Bus (OSB) and Oracle SOA Suite?

- A. Oracle Adapters are based on the Java EE Connector Architecture (JCA) 1.5 specification.
- B. Oracle Adapters use native APIs to connect to the supported back-end applications.
- C. Oracle Adapters are deployed to the same Oracle WebLogic Servers as Oracle Fusion Middleware.
- D. Use of Oracle Adapters Extended Architecture (XA) features is completely optional.

Answer: B,C

Oracle 1Z0-434 Exam

Question No: 11

Oracle SOA Suite is being used to virtualize service calls to a third-party human resources provider. The planned service payloads will require minimum transformation. Routing is simple because service calls will be mapped one-for-one to existing third-party services.

Which two components should be used to handle this service virtualization?

- A. BPEL Process
- B. Proxy Service
- C. Mediator
- D. Business Service

Answer: A,D

Question No: 12

Which two are available as conditions for an alert rule in BAM 12c?

- A. between two times
- B. when rows are deleted from a data object
- C. a particular day of the week
- D. when a web service is invoked

Answer: B,D

Question No: 13

Oracle Adapters are deployed to the Oracle SOA Suite server.

Which three SOA Suite components can use Oracle Adapters?

- A. BPEL Process
- B. Mediator
- C. Proxy Service
- D. Human Workflow