SAP C_BOWI_42 Exam

Volume: 182 Questions

Question No: 1
Which two methods can you use to define document properties?
There are 2 correct answers to this question.
Response:

A. Click the report tab, select "Document Properties" and enter the required information.

B. Right-click the report tab, select "Document Properties" and enter the required information.

C. Right-click a blank space on the report page, select "Document Properties" and enter the required information.

D. In the Properties tab of the Report Manager, select "Document Properties" and enter the required information.

Answer: BC

Question No: 2
Which two statements are true of the Web Intelligence default behavior when performing a UNION combined query method?
There are 2 correct answers to this question.
Response:

A. It performs a UNION.

B. It performs a UNION ALL.

C. It returns all values less the duplicates.

D. It returns all values including the duplicates.

Answer: AC

Question No: 3
Which of the following option is not a part of The Web Intelligence Query Process?
Please choose the correct answer.
Response:

A. Run the query

B. Launch panel to generate data

C. SQL is executed to extract data

D. Report is displayed

Answer: B

Question No: 4
Which keyword is defined as flexible for input contexts?
Please choose the correct answer.
Response:

A. In

B. All

C. ForAII

D. ForEach

Answer: D

Question No: 5
Which three output context expressions are valid extended syntax expressions?
There are 3 correct answers to this question.
Response:

A. Where ([State] = "CA")

B. Where Section In [State]

C. In Block Where Section = [State]

D. In Section Where ([State] = "CA")

E. Where ([State]="CA" And [Year] ="2006")

Answer: ADE

SAP C_BOWI_42 Exam

Question No: 6
Which type of relationship links sub-queries by default?
Please choose the correct answer.
Response:

A. OR

B. AND

C. NOR

D. NAND

Answer: B

Question No: 7
Which two statements are correct about hierarchies in Web Intelligence?
There are 2 correct answers to this question.
Response:

A. They can be created using the Query panel.

B. They can be created in the Scope of Analysis panel.

C. They can be chosen using a custom Scope of Analysis.

D. They are used to define the drill path in the Scope of Analysis.

Answer: CD

Question No: 8
Where do you set the "Optional prompt" option in Web Intelligence Rich Client?
Please choose the correct answer.
Response:

A. Query Panel

B. Prompts Panel

C. Slice and Dice Panel

D. Document Properties

Answer: A

Question No: 9
Which two methods can you use to apply report filters to a BusinessObjects Web Intelligence 4.0 document (WID)?
There are 2 correct answers to this question.
Response:

A. Block

B. Global

C. Custom

D. Dynamic

Answer: AB

Question No: 10
Which method can you use to hide data using an alerter?
Please choose the correct answer.
Response:

A. Build an alerter that removes the column.

B. Build an alerter that applies a formula that changes the block value.

C. Build an alerter with a formula that changes the font color to the background color.

D. Click anywhere in the document. On the toolbar, click the "Data" button and select "Hide Data".

Answer: C

Question No: 11
You insert the function CurrentDate() into a cell. To clarify the date you add a string so that the formula is now:
="Sales Report from "+CurrentDate()

Which formatting capability is disabled for the cell?
Please choose the correct answer.
Response:

A. Format cell

B. Hide cell

C. Align text

D. Format number

Answer: D

Question No: 12
Which two are benefits of using breaks?
There are 2 correct answers to this question.
Response:

A. Creates a navigation map

B. Makes the table block easier to read

C. Splits the block into smaller table blocks

D. Enables the use of subtotals in one block

Answer: BD

Question No: 13
Which three methods can you use to apply a section in the Web Intelligence Rich Client?
There are 3 correct answers to this question.
Response:

A. Click the "Set Master" button in the toolbar.

B. Drag the column to be sectioned outside the block.

C. Select the column; select Reporting Menu Option and then select "Set As Section".

D. Right-click the column on which you want to create a section. From the drop-down menu,

SAP C_BOWI_42 Exam

select "Set As Section".

Answer: BCD

Question No: 14
You need to create a report displaying a year-to-date aggregation on sales revenue across all months. The report should be sectioned on Region. Additionally, you would like to reset the running aggregation to restart for each Region. Which syntax should you use to accomplish this task?
Please choose the correct answer.
Response:

A. =RunningSum([Sales Revenue], Region)

B. =RunningTotal([Sales Revenue], Region)

C. =RunningSum([Sales Revenue] ; ([Region]))

D. =RunningTotal([Sales Revenue], Reset[Region])

Answer: C

Question No: 15
In the creation of a document, you have to import a personal data file. The data file contains date information, but when the file is imported, the dates are imported as character strings. Which function should you use to change the format from string to date?
Please choose the correct answer.
Response:

A. Date()

B. Char()

C. ToChar()

D. ToDate()

Answer: D

Question No: 16

SAP C_BOWI_42 Exam

Which of the following is not a step of demonstration, to display an aggregate within a sectioned report.
Please choose the correct answer.
Response:

A. Click a detail row in the Sales revenue column

B. Click the Table, Chart or Others tab

C. Click the Analysis Toolbox

D. Click the Functions Tab

Answer: B

Question No: 17
Which operator should you use to control the output context of a calculation that is relevant to the different environment levels within your document?
Please choose the correct answer.
Response:

A. In

B. Out

C. ForAII

D. ForEach

Answer: A

Question No: 18
Discuss all the advantages link to organizing a report in the section
There are 2 correct answers to this question
Response:

A. You can have multiple blocks projected from the same microcube within a single report, all sub-grouped to the sectioned level

B. You can have single block projected from the same microcube within a single report, all grouped to the sectioned level

C. You can insert subtotal cells, repeated in each section, which are created by the simple process of drag and drop

D. You can insert tables, different in each section, which are created by the simple process of drag and drop

Answer: AC

Question No: 19
Discuss the instructions appropriate for how you want the data in a table and manipulate the data within the table
There are 2 correct answers to this question
Response:

A. Right-click the table and, from the contextual menu, select Copy

B. In the target document, right-click the section cell and, from the contextual menu, click Copy and paste

C. Drag and drop the table from Web Intelligence to the target application

D. In the target application, right-click the area where you want the table to appear and, from the contextual menu, select Paste

Answer: AD

Question No: 20
Which of the following options involved to Create Variable from the Formula?
There are 2 correct answers to this question
Response:

A. Select the cell that contains the formula

B. Double-click Formula bar and click OK

C. Click the Create Variable and Select the Formula bar

D. On the Formula bar, click Create Variable

Answer: AD

SAP C_BOWI_42 Exam

Question No: 21
Elucidate the advantages of saving formulas as variables?
Please choose the correct answer.
Response:

A. Use as options available in the Format and Report Element toolboxes

B. You can reuse the formula without having to enter it each time

C. Create the formulas and feed it with all its dimensions

D. Use variables in any report within the document

Answer: C

Question No: 22
Select the correct sequence To Format a Bar Chart?
Please choose the correct answer.
Response:

A. Report Element>Chart>Insert Column Chart

B. Chart> Report Element >Insert Column Chart

C. Chart> Insert Column Chart >Report Element

D. Insert Column Chart>Chart>Report Element

Answer: A

Question No: 23
Which three can you use to start the Web Intelligence Rich Client from?
There are 3 correct answers to this question.
Response:

A. InfoView

B. Command Line

C. Start > All Programs

D. Central Management Console

Answer: ABC

Question No: 24
Why would you need to change the data source for your query?
Please choose the correct answer.
Response:

A. To change the universe connection of your universe

B. To use the production universe instead of the test universe

C. To use different objects from the universe

D. To change the order of execution for existing queries

Answer: B

Question No: 25
Which BusinessObjects Enterprise tool supports Offline Mode logins?
Please choose the correct answer.
Response:

A. InfoView

B. Java Panel

C. Interactive Panel

D. Web Intelligence Rich Client

Answer: D

Question No: 26
Which three objects represent qualifications from a local data provider?
There are 3 correct answers to this question.
Response:

A. BLOB