

Oracle 1Z0-161 Exam

Volume: 67 Questions

Question: 1

You want to use an Integrated Development Environment (IDE) to deploy an application to an Oracle Java Cloud Service Instance. Which two tasks must you accomplish for establishing a connection to the remote Weblogic Server for the first time?

- A. Use the SSL port to ensure a secure connection.
- B. Create an SSM tunnel.
- C. Specify the patch profile.
- D. Create a new application server.
- E. Specify port 22 as the remote port.

Answer: E

Question: 2

You are examining the runtime state of your WebLogic Server. Which three are capable of providing details of this runtime state?

- A. custom JMX clients for accessing MBeans
- B. the WebLogic Domain Configuration utility
- C. WLST
- D. custom clients based on REST APIs
- E. JVM heap analyzers
- F. Linux Operating System tools

Answer: A,C,F

Question: 3

It's easy to request a trial subscription of Oracle Java Cloud Service or purchase a subscription. All you need is an Oracle.com account.

Oracle 1Z0-161 Exam

Which two statements are true about subscribing to Oracle Java Cloud Service and setting up the Oracle Cloud account?

- A. Ensure only one Identity domain administrator can sign in to My Services.
- B. Ensure only one account administrator is assigned to monitor services in an Oracle Cloud account.
- C. Log In to the My Account application to set up the Oracle Cloud account.
- D. Request a trial or buy a service through an Oracle sales representative only.
- E. Log in to the My Services application to verify that a service is active and add service users.

Answer: C,D

Question: 4

You have been provisioned with 0 Java Cloud Service instance. The WebLogic Server domain in this instance has an Administration Server and two Managed Servers. The Managed Servers are configured into a cluster.

You plan to create an additional security realm to create and test custom security policies in the WebLogic Server domain of this instance.

How many security realms can be active in a WebLogic Server domain of the Java Cloud Service Instance?

- A. three: one for the Administration Server and one for each Managed Server
- B. two: one for the Administration Server and one for the cluster
- C. four: one for the domain and one for each WebLogic Server
- D. one: for the domain only

Answer: B

Question: 5

A benefit of Oracle Java Cloud Service – SaaS Extension is support?

- A. web applications by using Java Server Pages (JSP)
- B. databases such as MySQL and Oracle Database 12c

Oracle 1Z0-161 Exam

- C. Enterprise Java Beans (EJB).
- D. third-party frameworks such as Application Struts
- E. Java EE 5, Java EE 6, Java EE 7, and Java EE 8 APIs
- F. object-oriented Cobol

Answer: C

Question: 6

You have a Java EE application running on your premises that you want to migrate to your newly subscribed Oracle Java Cloud Service.

What detail of the database on your premises should you consider in this migration?

- A. Database archive logs
- B. Database schema for the application data
- C. Database listener information
- D. Database snapshot files

Answer: A

Question: 7

Which statement is true about the security policy in the WebLogic Server domain of the Oracle Java Cloud Service Instance?

- A. It must contain one or more conditions.
- B. It must contain only one policy condition.
- C. It need not contain any condition.
- D. It must contain a user condition-

Answer: A

Question: 8

Oracle 1Z0-161 Exam

Which three application standards are supported by Oracle Java Cloud Service - SaaS Extension?

- A. Local and remote Enterprise JavaBeans (EJB.Interfaces)
- B. Java Messaging Service (IMS)
- C. SOAP-based and RESTful Web services
- D. JDBC to database service
- E. Application Development Framework (ADF.

Answer: B,C,D

Question: 9

You want to use WebLogic Server Scripting Tool (WLST) commands online to undeploy an application from an Oracle Java Cloud Service Instance

You specify the following command:

Undeploy ('myApp')

Which statement about the effects of this command is true?

- A. The command does not undeploys the application. You must specify a Managed Server and repeat the command for each Managed Server where the application is deployed.
- B. The command undeploys the application only from the Managed Server that resides on the same VM as the Administration Server.
- C. The command does not undeploy the application. You must specify each Managed Server where the application Is deployed.
- D. The command undeploys the application from all Managed Servers where the application is deployed.

Answer: A

Question: 10

You want to restore an Oracle Java Cloud Service instance, including its database, from a backup.

Which two tasks must you perform before selecting Restores on the backup?

Oracle 1Z0-161 Exam

- A. Use Oracle Database Cloud - Database as a Service to store the database from the associated database backup, which is identified by RMAN tag.
- B. Shut down the WebLogic Server Administration Server In the service instance.
- C. Shut down the Webtotic Servet Managed Servers in the service instance.
- D. Disable traffic to the load balancer.
- E. Shut down the load balancer.

Answer: E

Question: 11

Within the Jobs region of Oracle Java Cloud Service – SaaS Extension Control, you can view the status of all jobs and the associated logs.

For which three items are details captured in the job log for a deployment operation?

- A. runtime errors
- B. build errors
- C. WLS compile
- D. whitelist validation
- E. virus scan

Answer: C,D,E

Question: 12

There are three Oracle Java Cloud Service options: CloudJava Cloud Service, Oracle Java Cloud Service - SaaS Extension, and Oracle Java Cloud Service - VirtualImage.

Which two statements are true of OracleJava Cloud Service - SaaS Extension?

- A. You have access to the underlying environment.
- B. You can use Customized WebLogicServers.
- C. You can choose virtual machine size and duster size.)