

Oracle 1Z0-593 Exam

Volume: 79 Questions

Question No: 1

Once OUI recognizes a set of nodes in a cluster, which three choices does it offer when installing the Oracle Database 11g Release 2 software?

- A. You can only install the Oracle Database with the RAC option on selected nodes.
- B. OUI forces you to configure ASM for shared storage before proceeding.
- C. You can install the Oracle Database as a single instance or with the RAC option on all the nodes.
- D. You can install the Oracle Database as a single instance or with the RAC option on selected nodes.
- E. You can install Oracle RAC One Node.

Answer: B,D,E

Question No: 2

In the following line, which is the result of a "crsctl query css votedisk" command (which is missing the column headers in the output) - what does the [DATA] indicate?

1. ONLINE 62a46a99b0434f8abf16f338c85203160 (/dev/xvdc1) [DATA]

- A. It Indicates that the Voting Disk contains Oracle Cluster ware data
- B. It Indicates that the Voting Disk is managed in the ASM diskgroup "DATA"
- C. It Indicates that the Voting Disk "DATA" is online on disk /dev/xvdc1
- D. It indicates that the ASM diskgroup "DATA" stores only the Voting Disk

Answer: B

Question No: 3

Which three items can be stored on the ACFS (Oracle ASM Cluster File System)?

- A. Oracle Database Homes (shared home approach)
- B. Any type of application-related configuration or log files

Oracle 1Z0-593 Exam

- C. The Oracle Grid Infrastructure Home
- D. Oracle Backup Sets (RMAN backup sets)

Answer: A,B,D

Question No: 4

When installing the Oracle Database with OUI, when are configuration scripts executed?

- A. Before installation begins
- B. After prerequisites check finished
- C. After the software has been installed
- D. Automatically throughout the installation process

Answer: C

Question No: 5

You want to stop a CRSCTL command that is active. How should you do this?

- A. With the abort command
- B. With CTRL-C
- C. With CTRL-X
- D. With CTRL-A
- E. With CTRL-ALT-DEL

Answer: B

Question No: 6

You want to install Grid Infrastructure for a cluster and the Oracle Database software (with the RAC option). Do you need SSH user equivalency?

- A. Yes, to ensure security during the installation.

Oracle 1Z0-593 Exam

- B. Yes, to set up administrative privileges for the DBA.
- C. Yes, to allow the use of SSH and SCP without being prompted for a pass phrase.
- D. No, you don't need SSH user equivalency.

Answer: C

Question No: 7

Which two statements about the SRVCTL utility are correct?

- A. SRVCTL must be run from the RAC database ORACLE_HOME/bin directory when used to manage that database.
- B. The SRVCTL command cannot be used to manage Oracle Grid Infrastructure.
- C. Every command requires an object on which to operate.
- D. A comma-delimited list should be enclosed in single quotes.

Answer: A,C

Question No: 8

How do you enable automatic backup of the OCR?

- A. With the ocrconfig autobackup command
- B. With the ocrconfig -backup command
- C. With the ocrconfig -backuploc command
- D. You don't have to enable this, Oracle Clusterware does it automatically

Answer: D

Question No: 9

What does the Oracle Validated Configuration RPM do?

- A. Configures parameters and adds new packages, where necessary

Oracle 1Z0-593 Exam

- B. Validates hardware configuration for RAC
- C. Performs cluster integrity checks
- D. Installs pre-validated Oracle Database and Grid Infrastructure software

Answer: D

Question No: 10

List the syntax supported by the Cluster Verification Utility (CVU). (select all that apply)

- A. comp - To show valid components with description
- B. stage - To list pre and post checks of stages
- C. asm - To list valid disks available
- D. dbstat - To list number of instances available online

Answer: A,B

Question No: 11

Which is not a node app?

- A. ASM
- B. ONS
- C. GSD
- D. VIP

Answer: A

Question No: 12

You are creating a RAC database with DBCA. Which of these is NOT a main area of initialization parameters you can configure as part of the process?

- A. Memory

Oracle 1Z0-593 Exam

- B. page size
- C. Character set
- D. Connection mode

Answer: B

Question No: 13

Which tool can be used to specify network interfaces and to retrieve component configuration information?

- A. CVU
- B. SRVCTL
- C. CRSCTL
- D. OIFCFG

Answer: D

Question No: 14

You want to set full debugging for the communications and resource management components for the CRS module on nodes host01 and host03. How can you accomplish this?

- A. crsctl set log CRS "CRSCTL: 5, CRSCOMM: 5" -nodelist host01, host03
- B. crsctl lsmodules crs set log CRSCTL: 5, CRSCOMM: 5 -nodelist host01, host03
- C. srvctl set log -m CRSCTL5, CRSCOMM 5 -n host01, host03
- D. ocrconfig set log CRS "CRSCTL, CRSCOMM: 5" -nodelist host 01, host03

Answer: A

Question No: 15

What would be the total space required for Clusterware files when stopping them in the ASM Diskgroup configured with NORMAL redundancy? (Assume each OCR and voting Disk files uses 300 MB.)

Oracle 1Z0-593 Exam

- A. 1.5 GB
- B. 2.4 GB
- C. 600 MB
- D. 900 MB

Answer: A

Question No: 16

Which OCRCONFIG command backs up the OCR to the -backuploc location?

- A. -overwrite
- B. -backuploc pathname
- C. -manualbackup
- D. -export

Answer: C

Question No: 17

Which two statements about the Single Client Access Name (SCAN) feature are correct?

- A. In typical Grid Infrastructure Installation, the SCAN name defaults to the cluster name
- B. A SCAN listener runs on every cluster node
- C. SCAN is available with any version of Oracle 11g RAC
- D. SCAN provides location Independence of Oracle RAC databases in the cluster

Answer: A,B

Question No: 18

How many Oracle Clusterware interconnect networks are required and why?

- A. Only one; minimum requirement

Oracle 1Z0-593 Exam

- B. Two; redundancy is required
- C. One per node in the cluster
- D. One per database in the cluster

Answer: C

Question No: 19

Which command line tool can be used for working with the Oracle cluster Registry?

- A. SRVCTL
- B. OCRCFG
- C. OCRCONFIG
- D. CRSCTL
- E. OEM
- F. OUI

Answer: C

Question No: 20

How do you modify Kernel Parameters to meet the minimum requirements for Oracle RAC?

- A. Pre-Oracle RAC 11g Release 2 manually changing the kernel Parameters is required to meet Oracle RAC minimum requirements.
- B. With Oracle Grid Infrastructure / Oracle RAC 11g Release 2 fixup-scripts (CVU generated) can be used to set the appropriate kernel Parameters.
- C. The Oracle Enterprise Manager can be used to modify kernel Parameters before the Installation of the Oracle RAC stack.
- D. You do not need to change any Kernel Parameters for an Oracle RAC installation.

Answer: B

Oracle 1Z0-593 Exam

Question No: 21

Which action is not available when right-clicking a ADVM volume in the ASM Configuration Assistant?

- A. Enable
- B. Disable
- C. Version
- D. Resize
- E. Delete

Answer: C

Question No: 22

Which two statements are true about starting and stopping all instances of a RAC database simultaneously with a single command?

- A. The user must be SYSDBA.
- B. The user must be a member of the OSDBA group.
- C. The user can use SQL* Plus from local node.
- D. The user can use SRVCTL.

Answer: A,D

Question No: 23

Identify three valid storage options for the OCR and voting disk for it new installation of Infrastructure 11g Release 2.

- A. A certified Cluster File System (CFS)
- B. A certified Network File System (NFS)
- C. ASM Cluster File System (ACFS)
- D. Automatic Storage Management (ASM)

Oracle 1Z0-593 Exam

E. Shared disk slices (block or raw devices)

Answer: B,C,D

Question No: 24

In the end of the database creation process using DBCA which two options can you choose from?

A. Create database

B. Generate database creation scripts

C. Initialize the database instance

D. Configure the database initialization parameters such as memory target, character set, etc.

Answer: A,C

Question No: 25

The Oracle Cluster Health Monitor can't _____.

A. Detect and analyze OS and cluster resource for problems in Oracle Clusterware and RAC cluster

B. Track OS resource consumption at each node, process, and device level continuously

C. Be installed on Windows Server 2003 SP1

D. Collect and analyze the cluster-wide data

Answer: C

Question No: 26

What value uniquely identifies an instance in a RAC database?

A. Location name

B. Node hostname

C. Listener and port

D. SID

Oracle 1Z0-593 Exam

E. VIP

Answer: D

Question No: 27

You are preparing the storage for Oracle ASM, which two statements are correct?

- A. You must create an ASMOWNER operating system user.
- B. You must choose a RAID stripe size that is a power of 2 and greater than the ASM allocation unit.
- C. Oracle ASMLIB is not a prerequisite to configure ASM.
- D. You must change user and group ownership of devices to oracle:dba.

Answer: C,D C:

Question No: 28

Under which account(s) can the Oracle Clusterware processes run for the Linux platform?

- A. only the root account
- B. only the Grid Infrastructure owner account
- C. only the database software owner account
- D. some under the Grid Infrastructure owner account and some under the root account
- E. some under the database software owner account and some under the root account

Answer: A

Question No: 29

Which of these is not recommended as the basis for an ASM disk in a shared storage configuration?

- A. Raw disk partition
- B. NFS file
- C. Raw logical volumes