

Oracle 1Z0-932 Exam

Volume: 91 Questions

Question: 1

Which three methods can you use to manage Oracle Cloud Infrastructure services? (Choose three.)

- A. Oracle Cloud Infrastructure Desktop Client
- B. Oracle Cloud Infrastructure Console
- C. SSH or RDP
- D. Command-line Interface
- E. REST API

Answer: A,B,D

Question: 2

Which two statements are true about the Oracle Cloud Infrastructure Object Storage Service? (Choose two.)

- A. It provides higher IOPS than Block Storage.
- B. It can be directly attached or detached from a compute instance.
- C. Data is stored redundantly only in one Availability Domain.
- D. Data is stored redundantly across multiple storage servers across multiple Availability Domains.
- E. It provides strong consistency.

Answer: D,E

Question: 3

Which two features are offered natively on Oracle Cloud Infrastructure Database Cloud Service (DBCS)? (Choose two.)

- A. Data Guard in Async mode within a region

Oracle 1Z0-932 Exam

- B. GoldenGate replication between two regions
- C. Data Guard in Maximum Protection mode
- D. backup to Object Storage

Answer: C,D

Question: 4

At the end of a terraform apply operation, what is the default output?

- A. nothing by default
- B. statistics about what was added, changed, and destroyed
- C. the entire state file
- D. statistics about what was added, changed, and destroyed, and the values of outputs

Answer: D

Question: 5

Which two are true for Oracle Cloud Infrastructure DNS? (Choose two.)

- A. It can function only as a primary DNS.
- B. It supports other cloud providers such as AWS and Azure.
- C. It supports segregation of traffic by using the private pool.
- D. It does not provide DDoS protection.

Answer: B,C

Question: 6

Which two are valid options when migrating a database from on-premise to Oracle Cloud Infrastructure? (Choose two.)

- A. snapping or cloning storage from on-premise to Oracle Cloud Infrastructure

Oracle 1Z0-932 Exam

- B. performing a backup to Oracle Cloud Infrastructure Object Storage, and then restoring to a database server on Oracle Cloud Infrastructure
- C. performing RMAN backup to an on-premise storage device, and then shipping to Oracle Cloud Infrastructure
- D. converting the Oracle database to a NoSQL database and migrating to Oracle Cloud Infrastructure by using rsync file copy

Answer: A,C

Question: 7

You need to create a high performance shared file system service, and have been advised to use OCI File Storage Service. You have logged into the OCI Console, created a File System in an availability domain, and followed the steps to mount the shared file system on your Oracle Linux virtual Instance. However, you are still unable to access the shared file system from your Linux instance.

What is the likely reason for this?

- A. There are no security list rules for mount target traffic
- B. There is no IGW set up for mount target traffic
- C. There is no IAM policies set up to allow you to access the mount target
- D. There is no route in your VCN's route table for mount target traffic

Answer: C

Question: 8

Which two identity providers can your administrator federate with Oracle Cloud Infrastructure? (Choose two.)

- A. Microsoft Active Directory
- B. Oracle Identity Cloud Services
- C. AWS Directory Services
- D. Google Directory Federation Services

Oracle 1Z0-932 Exam

Answer: A,B

Question: 9

Which two statements are true about an Oracle Cloud Infrastructure Virtual Cloud Network (VCN)? (Choose two.)

- A. A VCN can reside in multiple Oracle Cloud Infrastructure regions and Availability Domains.
- B. A VCN covers a single contiguous IPv4 CIDR block of your choice.
- C. An allowable VCN size range is: /16 to /30.
- D. A VCN creates the dynamic routing gateway by default.

Answer: B,C

Question: 10

Which three are default Virtual Cloud Network (VCN) components? (Choose three.)

- A. Security List
- B. Dynamic Routing Gateway
- C. DHCP options
- D. Internet Gateway
- E. Route Table

Answer: A,C,E

Question: 11

Your application front end consists of several Oracle Cloud Infrastructure compute instances behind a load balancer instance. You have configured the load balancer to perform health checks on these instances.

If an instance fails to pass health checks, what will happen?

- A. The instance is replaced automatically by the load balancer.
- B. The instance is terminated automatically by the load balancer.

Oracle 1Z0-932 Exam

- C. The instance is taken out of the back end set by the load balancer.
- D. The load balancer stops sending traffic to that instance.

Answer: D

Question: 12

A customer wants to do development on premise while leveraging services such as Java Cloud, Mobile Developer Cloud, and App Builder Services. The customer would also like to scale out the application, stretching from on-premises to the cloud by using a common API. Which two Infrastructure options can the customer leverage to do this? (Choose two.)

- A. Oracle Cloud at Customer
- B. Oracle Cloud Infrastructure Classic
- C. Oracle Cloud Ravello service
- D. Oracle Cloud Infrastructure

Answer: A,B

Question: 13

How can you provide users access to an existing compartment?

- A. by granting users access to a compartment when the compartment is created
- B. by adding users to a group and defining a policy to provide the group access to the compartment
- C. by adding users to a compartment. All users in the compartment will have access to the objects in the compartment.
- D. by granting access directly to the user when the user is created

Answer: C

Question: 14

Which deployment architecture is offered when you deploy the Platform Service Manager based Database Cloud Service (DBCS) onto Oracle Cloud Infrastructure?