

## Zend 200-710 Exam

### Volume: 232 Questions

Question No: 1

What is the difference between the spaceship operator(<=>) and the strcmp() function?

- A. There is no difference in functionality
- B. strcmp() returns a Boolean value, the spaceship operator a number
- C. strcmp() does a case-intensive comparison, the spaceship operator does not
- D. The spaceship operator returns -1, 0 or 1; strcmp() may return any integer

Answer: D

Question No: 2

Which of these error types may be handled by a user defined error handler function? {Choose two.}

- A. E\_ERROR
- B. E\_NOTICE
- C. E\_PARSE
- D. E\_WARNING

Answer: A,C

Question No: 3 CORRECT TEXT

What is the output of the following code?

```
$a = [1 => 'Apple', 3 => 'Cactus', 5 => 'Elderflower'] +  
     ['Banana', 'Dragon Fruit', 'Fig'];  
echo count($a);
```

Answer: 1

Question No: 4

What is the output of the following code?

## Zend 200-710 Exam

```
$string = 'Good luck!';  
$start = 10;  
var_dump(substr($string, $start));
```

- A. string(0) ""
- B. bool(false)
- C. string(1) "!"
- D. string(2) "k!"

Answer: C

Question No: 5

Consider 3 PHP files that are called asynchronously via XmlHttpRequest:

```
// s1.php  
session_start();  
sleep(1);  
  
// s2.php  
session_start();  
sleep(2);  
  
// s3.php  
session_start();  
sleep(3);
```

Which of the following statements is true? (Choose two.)

- A. The total execution time for all 3 requests will be the maximum of the longest sleep() call
- B. The requests may be processed out of order
- C. The requests are guaranteed to be executed in order
- D. Concurrent requests will be blocked until the session lock is released

Answer: A

Question No: 6

What is the output of the following code?

## Zend 200-710 Exam

```
class Test {
    public $var = 1;
}

function addMe(Test $t) {
    $t->var++;
}

$t = new Test();
addMe($t);
echo $t->var;
```

- A. 1
- B. 2
- C. null

Answer: A

Question No: 7

What is the benefit of using persistent database connections in PHP? (Choose two.)

- A. Reduces the connection & authentication overhead of connecting to the database
- B. Ensures that only a single connection is open to the database from PHP
- C. Allows connection settings such as character set encoding to persist
- D. Allows for resumption of transactions across multiple requests.

Answer: C,D

Question No: 8

What is the output of the following code?

```
namespace MyNamespace;
class Test {
}
echo Test::class;
```

- A. MyNamespace\Test
- B. empty string

## Zend 200-710 Exam

C. parse error

D. Test

Answer: B

Question No: 9

What function is best suited for extracting data from a formatted string into an array?

A. fgetcsv

B. sscanf

C. sprintf

D. strtok

Answer: C

Question No: 10

What exception type will catch the error raised by the expression  $2 / 0$ ?

A. LogicException

B. RangeException

C. DivisionByZeroError

D. ArithmeticError

Answer: C

Question No: 11 CORRECT TEXT

Which value will be assigned to the key O in the following code?

```
$a = array(true, '0' => false, false => true);
```

Answer: 1

## Zend 200-710 Exam

Question No: 12

What is the output of the following code?

```
echo '1' . (print '2') + 3;
```

- A. 123
- B. 213
- C. 142
- D. 214
- E: Syntax error

Answer: D

Question No: 13

What is the output of the following code?

```
$a= 3;  
switch ($a) {  
}  
case 1: echo 'one'; break;  
case 2: echo 'two'; break;  
default: echo 'four'; break;  
case 3: echo 'three'; break;
```

- A. one
- B. two
- C. three
- D. four

Answer: C

Question No: 14

What is "instanceof" an example of?

- A. a boolean

## Zend 200-710 Exam

- B. an operator
- C. a function
- D. a language construct
- E: a class magic

Answer: B

Question No: 15

Which of the following may be used in conjunction with CASE inside a SWITCH statement?

- A. A scalar
- B. An expression
- C. A boolean
- D. All of the above

Answer: D

Question No: 16

What is the output of the following code?

```
$a= 'a'; $b = 'b';  
echo isset($c)? $a.$b.$c: ($c = 'c').'d';
```

- A. abc
- B. cd
- C. 0d

Answer: B

Question No: 17

Which of the following are valid identifiers? (Choose 3)

- A. function 4You() {}

## Zend 200-710 Exam

B. `function_4You() {}`

C. `function object() {}`

D. `$1 = "Hello";`

E. `$ 1 = "Hello World";`

Answer: B, C, E

Question No: 18

What super-global should be used to access information about uploaded files via a POST request?

A. `$_SERVER`

B. `$_ENV`

C. `$_POST`

D. `$ FILES`

E. `$_GET`

Answer: D

Question No: 19

What is the difference between "print" and "echo"?

A. There is no difference.

B. Print has a return value, echo does not

C. Echo has a return value, print does not

D. Print buffers the output, while echo does not

E: None of the above

Answer: B

## Zend 200-710 Exam

Question No: 20

What is the output of the following code?

```
echo "1" + 2 * "0x02";
```

- A. 1
- B. 3
- C. 5
- D. 20
- E. 7

Answer: C

Question No: 21

What is the result of the following bitwise operation in PHP?

```
1 ^ 2
```

- A. 1
- B. 3
- C. 2
- D. 4
- E. -1

Answer: B

Question No: 22

What is the output of the following code?

```
echo "22" + "0.2", 23 . 1;
```

- A. 220.2231
- B. 22.2231
- C. 22.2,231



## Zend 200-710 Exam

D. 56.2

Answer: B

Question No: 23

What is the output of the following code?

```
$first= "second";  
$second = "first";  
echo $$$first;
```

A. "first"

B. "second"

C. an empty string

D. an error

Answer: B

Question No: 24

Your supervisor wants you to disallow PHP scripts to open remote HTTP and FTP resources using PHP's file functions. Which php.ini setting should you change accordingly?

Answer:

```
allow_url_fopen=off, allow_url_fopen=Off,
```

Question No: 25

Which of the following will set a 10 seconds read timeout for a stream?

A. `ini_set("default_socket_timeout", 10);`

B. `stream_read_timeout($stream, 10);`

C. Specify the timeout as the 5th parameter to the `fsockopen()` function used to open a stream

D. `stream_set_timeout($stream, 10);`

E. None of the above

## Zend 200-710 Exam

Answer: D

Question No: 26

What function allows resizing of PHP's file write buffer?

- A. ob\_start()
- B. set\_write\_buffer()
- C. stream\_set\_write\_buffer()
- D. Change the output\_buffering INI setting via ini\_set() function

Answer: C

Question No: 27

What does the `_FILE_` constant contain?

- A. The filename of the current script.
- B. The full path to the current script.
- C. The URL of the request made.
- D. The path to the main script.

Answer: B

Question No: 28

What can prevent PHP from being able to open a file on the hard drive (Choose 2)?

- A. File system permissions
- B. File is outside of `open_basedir`
- C. File is inside the `/tmp` directory.
- D. PHP is running in CGI mode.

Answer: A, B