

Volume: 126 Questions

Question No: 1

What is the recommended minimum hard-drive size for a virtual instance of Symantec Messaging Gateway 10.5?

- A. 80 GB
- B. 90 GB
- C. 160 GB
- D. 180 GB

Answer: B

Question No: 2

What is the recommended minimum hard-drive size for a virtual instance of Symantec Messaging Gateway 10.5?

- A. 80 GB
- B. 90 GB
- C. 160 GB
- D. 180 GB

Answer: D

Question No: 3

What are two installation options for Symantec Messaging Gateway 10.5? (Select two.)

- A. upgrade from Symantec Brightmail Gateway 8.0.3
- B. enable autoupdate in LiveUpdate settings
- C. upgrade from Symantec Mail Security for SMTP (SMS-SMTP) 8.0.3
- D. OSRestore using the downloadable VMWare OVF template
- E. OSRestore from the Symantec BrightmailGateway 10.5CD

Answer: A,E

Question No: 4

Message throughput of a Symantec Messaging Gateway scanner-only appliance can be reduced by which two features? (Select two.)

- A. rapid release definitions
- B. real-time updates
- C. DKIM signing
- D. SMTP authentication
- E. hourly quarantine expunging

Answer: C,D

Question No: 5

Symantec Messaging Gateway 10.5 is certified for non-virtual deployment on which hardware devices?

- A. Symantec 2950 series appliances
- B. Symantec 3570 series appliances

C. Symantec 7100 series appliances

D. Symantec 8300 series appliances

Answer: A

Question No: 6

Which two are functions of a Symantec Messaging Gateway 10.5 scanner? (Select two.)

A. provides quarantine storage for messages

B. downloads virus definitions

C. hosts a web server

D. filters the message stream

E. runs expunger agents for the quarantine

Answer: B,D

Question No: 7

What is the maximum number of incident folders that may be created in Symantec Messaging Gateway 10.5?

A. 100

B. 1,000

C. 10,000

D. unlimited

Answer: B

Question No: 8

Which Symantec Messaging Gateway 10.5 feature is used to organize, monitor, and manage incidents?

A. Regulatory Archives

B. End User Quarantine

C. Regulatory Protocols

D. Content Incident Folders

Answer: C

Question No: 9

What do content incident folders allow administrators to configure?

A. granular access control

B. the X- header added for client processing

C. the incident folder names passed to the client

D. additional folders where end-users can store junk mail

Answer: A

Question No: 10

Which two policy actions are available within Symantec Messaging Gateway version 10.0? (Select two.)

A. create a quarantine incident

B. deliver the message to the Outlook spam folder

C. send notification to the administrator

D. terminate the sender's connection

E. create an informational incident

Answer: A,E

Question No: 11

There is a firewall in place between Symantec Messaging Gateway 10.5 and the Internet at the customer site. An administrator needs to use an external NTP server on the Internet for time synchronization. Which port must be open on the firewall to allow this?

- A. 22
- B. 389
- C. 80
- D. 123

Answer: D

Question No: 12

What is a valid configuration option for Symantec Messaging Gateway 10.5?

- A. One Control Center,one combination control center/scanner
- B. One Control Center,three scanners,and one Report Center
- C. One combination control center/scanner,and 3 scanners
- D. Two scanners and one LiveUpdate server

Answer: C

Question No: 13

What is required before completing the bootstrap process of the Symantec Messaging Gateway 10.5 appliance?

- A. 30-day temporary license file
- B. DNS server IP address
- C. SSH access to the appliance
- D. MX record created for appliance

Answer: B

Question No: 14

If recipient validation is configured properly, which SMTP response level is given to messages that fail recipient validation queries at connect time?

- A. 3xx - Service unavailable
- B. 4xx - Temporary delivery failure
- C. 5xx - Permanent delivery failure
- D. 6xx - Rejected validation failure

Answer: C

Question No: 15

Which feature places a sender's IP address in a penalty box for sending messages to multiple invalid email addresses?

- A. Local Bad Sender IPs
- B. Directory Harvest Attack
- C. Bounce Attack Detection

D. Connection Classification

Answer: B

Question No: 16

Which two tasks can an end-user perform while logged in to the Control Center when authentication and address resolution are enabled? (Select two.)

- A. configure personal suspect spam scoring
- B. configure personal Good and Bad Sender lists
- C. configure personal language preferences
- D. configure personal content filtering policies
- E. configure personal email digest preferences

Answer: B,C

Question No: 17

An organization has an extremely large LDAP database. What is done in Symantec Messaging Gateway 10.5 that will help prevent mail from backing up in the system during the initial directory building process?

- A. reduce the length of time that logs and quarantine items are kept in the database
- B. configure the control center to download the complete directory of users each night
- C. the appliance fails open during the initial phase of deployment to prevent email from backing up during the initial directory building process
- D. preload the directory data cache

Answer: D

Question No: 18

Which two functions of Symantec Messaging Gateway 10.5 can use information retrieved from a directory data source? (Select two.)

- A. masquerading
- B. routing
- C. annotation
- D. reputation
- E. authentication

Answer: B,E

Question No: 19

When configuring remote logging, where are the logs redirected?

- A. The primary control center
- B. Symantec System Incident Manager (SSIM)
- C. Application Eventlog
- D. syslog

Answer: D

Question No: 20

Which log would an administrator access to determine why an email was deleted by the scanner?

- A. Update.log

- B. Message Audit logs
- C. Admin Audit logs
- D. Messaginglog.log

Answer: A

Question No: 21

Which logs will help an administrator determine why antispam rules have failed to update?

- A. Antispam Update logs
- B. LiveUpdate logs
- C. Conduit logs
- D. Appliance syslog

Answer: C

Question No: 22

Having received a targeted attack from a spoofed email domain, a company wants to take advantage of DKIM validation for inbound mail. The messaging administrator has enabled sender authentication and DKIM validation and now needs to configure a content filtering policy to quarantine any messages that fail. Which condition should be met for the content filtering policy to fire?

- A. The envelope sender email address contains "dkim=fail".
- B. The message header contains "dkim=fail".
- C. The file metadata MIME type is "dkim=fail".
- D. The text in the subject,body,or attachments contains "dkim=fail".

Answer: B

Question No: 23

How does enabling and configuring sender authentication options in Symantec Messaging Gateway 10.5 help to protect against spam?

- A. by protecting against messages sent from trusted partners
- B. by protecting against messages sent using a Sendmail MTA
- C. by protecting against messages with a forged message ID
- D. by protecting against messages with forged sender domains

Answer: D

Question No: 24

What is an advantage of Symantec Content Encryption over TLS encryption?

- A. Ensures compliance with government-mandated regulations
- B. TLS encryption provides better security than content encryption.
- C. May be implemented without requiring SSL certificates for each scanner
- D. Ensures secure end-to-end delivery of sensitive messages

Answer: D

Question No: 25

Symantec Messaging Gateway 10.5 includes a policy-based encryption feature. How is this new feature licensed?