

Cisco 500-710 Exam

Volume: 91 Questions

Question No:1

Which troubleshooting tool does an engineer use to determine whether a cat! is being subjected to traversal bandwidth restrictions?

- A. registration log
- B. calls log
- C. search history log
- D. event log

Answer: D

Question No:2

Which method does the Conductor use to determine the source of an incoming call to a rendezvous type conference?

- A. conference IP addresses
- B. location IP addresses
- C. management IP addresses
- D. source IP addresses

Answer: B

Question No:3

Where in the TMS application does an engineer add individual endpoints or infrastructure to the TMS database?

- A. System > Navigator
- B. System > System Overview
- C. System > Provisioning

Cisco 500-710 Exam

D. System > Manage Dial Plan

Answer: A

Question No:4

Cisco Meeting Server can be deployed using three different deployment models, which option lists deployment models that are the best solution to accommodate fail-over?

- A. single combined server deployment
- B. scaled and resilient server deployment
- C. scaled and combined server deployment
- D. single split server deployment

Answer: B

Question No:5

In an H.323 call that is not interworked, which three signaling protocols are routed through the Expressway? (Choose three.)

- A. RTP
- B. Q.931
- C. H.254
- D. RAS
- E. RTCP
- F. H.245

Answer: A E F

Question No:6

Which two methods can be used in TMS to schedule conferences? (Choose two.)

- A. Administrative Tools > Configuration > Conference Settings

Cisco 500-710 Exam

- B. Booking > New Conference
- C. Scheduling > New Conference
- D. Reporting > Conferences
- E. Monitoring > Conference Control Center

Answer: A B

Question No:7

An engineer wants to add a domain to a numeric E.164 alias dialed by an H.323 endpoint. Which opinion is the Cisco recommended method to add this domain in the Expressway configurations?

- A. transforms
- B. user policy
- C. service preference
- D. call policy

Answer: A

Question No:8

Which option do Enterprise settings on Cisco Spark determine?

- A. where user information comes from
- B. how connectors are integrated in a hybrid deployment
- C. bot integration
- D. API integration

Answer: A

Question No:9

Which statement about Call Service Connect on a Cisco Spark Hybrid deployment is true?

Cisco 500-710 Exam

- A. Call Service Connect does not require media traversal capabilities or licenses to be installed.
- B. Mutual TLS can be used to deploy Call Service Connect, but it is not required.
- C. Call Service Aware does not need be deployed to use Call Service Connect.
- D. Call Service Connect allows integration between Cisco Spark and Cisco Unified Communications Manager.

Answer: D

Question No:10

Which statement about setting up a call bridge cluster for a resilient and scalable Cisco Meeting Server deployment is true?

- A. Call bridges can connect to databases in full mesh.
- B. Call bridges only connect to the master database.
- C. Only one call bridge should be configured per domain in a database cluster.
- D. Call bridges can read/write to any database in a cluster at anytime.

Answer: A

Question No:11

Cisco Meeting Server uses four API commands to interact with the server. Which API command is used to modify a configuration setting on the Cisco Meeting Server?

- A. DELETE
- B. PUT
- C. POST
- D. GET

Answer: B

Question No:12

Cisco 500-710 Exam

Which two statements about the relationship between the Expressway series and the Cisco Unified Communications Manager are true? (Choose two.)

- A. The Expressway solution can be peered with a Cisco Unified Communications Manager to allow for greater capabilities.
- B. The Expressway series can never operate as a standalone call-control solution.
- C. The Expressway series requires the peering with a Cisco Unified Communications Manager to act as a call-control device.
- D. The Expressway series may operate as a standalone call-control solution.
- E. The Expressway series only supports SIP-based communications.

Answer: A B

Question No:13

When you write a new app in Tropo, in which format must the app scripts be saved?

- A. .xml
- B. .wav
- C. .mp4
- D. Js
- E. .json

Answer: D

Question No:14

Which group of items must be configured when adding a Cisco Meeting Server to TMS before the server can be used in scheduled conferences?

- A. DNS address, numeric ID base, numeric ID quantity
- B. domain, numeric ID base, conference ID range
- C. MAC address, numeric ID base, numeric ID quantity