Cisco 644-066 Exam

Volume: 50 Questions

Question No: 1
What does not need to be considered when looking into the customer workflow?

A. How does the customer access the online software solutions?

B. How many different switch products are in use at the customer network?

C. How can the service partner instantly connect with outsourced engineers?

D. How can customer and service collaborate and start video communication?

Answer: B

Question No: 2
Which two statements accurately describe the impact of BYOD to the network? (Choose two.)

A. TCO is reduced because employees use their privately owned devices.

B. BYOD increases productivity, but IT must find ways to integrate the utilized devices seamlessly with wired as well as wireless networks.

C. BYOD adds the requirement to support multiple operating systems.

D. Corporate users expect the same look and feel when using their own devices.

Answer: B,C

Question No: 3
Which three are main drivers for changing operations? (Choose three.)

A. change of market trends

B. change of competition

C. change of application software version

D. change of relative strengths

E. migration of the enterprise network to IPv6

F. migration to Cisco single-vendor networking solution

Answer: A,B,D

Question No: 4
Which three best describe the Cisco Borderless Network Architecture? (Choose three.)

A. Infrastructure and network services are the basis for user services.

B. A Cisco Borderless Network is based on a common network infrastructure.

C. Routers and switches provide transport services and operate at Layer 2 and Layer 3 of the Cisco Borderless Network Architecture.

D. A Cisco Borderless Network Architecture provides borderless network services.

E. User services are not part of the Cisco Borderless Network Architecture.?

Answer: A,B,D

Question No: 5
Which three of the following are major trends that fuel the demand for routing and switching? (Choose three.)

A. Mobility

B. Video

C. Bandwidth optimization

D. Cloud

E. IT standardization

Answer: A,B,D

Question No: 6
Which two of the following examples best describe the challenges that customers face in today's networks?

(Choose two.)

A. How do we control energy consumption of devices owned by employees?

B. How can we support telepresence??

C. How can we consolidate different datacenters?

D. Which type of firewall should we deploy?

Answer: B,C

Question No: 7
Which two statements are true about CVD and SBA? (Choose two.)?

A. The SBA toolset includes Partner Enablement Assets and EcoPartner Guides.

B. SBA guides are available for enterprise deployments only.

C. CVDs are end-to-end designs which are well-tested and fully documented.

D. Gold partners have access to a demo lab for each validated design.

Answer: A,C

Question No: 8
Which three of the following are successful examples of strategic IT investments improving operational agility? (Choose three.)

A. A company offers mobile email to its employees, who can then react faster to requests.

B. A company implements collaboration solutions, which simplified information exchange.

C. A company changes its security strategy from "lock down" to "secure access from anywhere", so that users are "always-on" and can easily work remotely.

D. A company implements EnergyWise solutions, which drastically reduce energy costs.?

E. A company provides support for a BYOD solution, which increases the investment and requires network upgrades, but provides limited improvements compared to a well-known remote access solution.

Answer: A,B,C

Question No: 9
Which two Cisco Catalyst families are modular switches that are used in the core or distribution of the campus LAN? (Choose two.)

A. Cisco Catalyst 6500 Series

B. Cisco Catalyst 4500 Series

C. Cisco Catalyst 3750 Series

D. Cisco Catalyst 3560 Series

E. Cisco Catalyst 2960 Series

F. Cisco Catalyst Express Series

Answer: A,B

Question No: 10
Which three apply to Embedded Event Manager (EEM)? (Choose three.)

A. EEM provides proactive diagnostics, creates alarms in real time, generates Web-based reports, and routes information to the correct TAC team.

B. EEM monitors specific events.

C. EEM provides proactive health checks by running diagnostics.

D. EEM automates operational management in real time.

E. EEM can invoke predefined actions to correct, take remedial action, and report events.

Answer: B,D,E

Question No: 11
Which three of the following statements correctly describe switching? (Choose three.)

A. A Layer 2 switch operates up to the data link layer of the OSI network model.?