

Cisco 700-070 Exam

Volume: 50 Questions

Question No: 1

What causes echo or reverberation in the room during a call?

- A. too many acoustic panels
- B. too many hard surfaces
- C. too many people
- D. too many devices

Answer: B

Question No: 2

What is the purpose of the IX5000?

- A. immersive collaboration
- B. mobile-device use
- C. desktop use
- D. home use

Answer: A

Question No: 3

Which two peripheral devices are available for the IX5000? (Choose two.)

- A. additional Touch 12 screens
- B. additional Touch 10 screens
- C. additional Touch 8 screens
- D. document scanner
- E. auxiliary monitors

Cisco 700-070 Exam

Answer: B,E

Question No: 4

Which two standards does the IX5000 codec support? (Choose two.)

- A. H.324
- B. H.320
- C. H.265
- D. G.729AB
- E. G.728

Answer: A,C

Question No: 5

Which infrastructure component is needed for OBTP?

- A. Prime Collaboration
- B. Cisco VCS
- C. Cisco TMS
- D. Cisco TelePresence System

Answer: C

Question No: 6

Which action should you take before upgrading a telepresence system?

- A. Restore the current configurations.
- B. Back up the current configurations.
- C. Restore the factory settings.
- D. Contact TAC for upgrade instructions.

Cisco 700-070 Exam

Answer: B

Question No: 7

Which two options are available through the participant icon? (Choose two.)

- A. List all missed calls.
- B. Drop a caller from the call.
- C. List all participants who were dropped from the call.
- D. List all participants on the call.
- E. Add a caller to the call.

Answer: B,D

Question No: 8

How can you change presentation display options during a call?

- A. Open the share tray and drag the presentation to the desired location.
- B. Open the share tray and assign display numbers to each presentation.
- C. Open the system settings and reconfigure the display options.
- D. Open the participant list and drag the presentation to the desired location.

Answer: A

Question No: 9

What is the required ratio for the whiteboard setup?

- A. 16:9
- B. 4:3
- C. 21:9
- D. 5:7

Cisco 700-070 Exam

Answer: A

Question No: 10

Which two actions are part of the Display Connection step during endpoint configuration? (Choose two.)

- A. Determine the screen resolution.
- B. Register the endpoint to Unified Communications Manager.
- C. Perform an internal display cabling check.
- D. Determine the system layout display on Touch 10.
- E. Register the endpoint to the Cisco VCS.

Answer: A,C

Question No: 11

What is the last action item during physical setup of the IX5000?

- A. Install pillars, crossbars, and rear kick plate and toe cup.
- B. Install fascia, display trip, and outer panels.
- C. Install Touch 10 devices.
- D. Perform cable routing.

Answer: B

Question No: 12

Which installation key for the IX5000 is required for IX5000 infrastructure configuration?

- A. Cisco TMS
- B. Cisco VCS
- C. Unified Communication Manager
- D. TelePresence MCU

Cisco 700-070 Exam

Answer: A

Question No: 13

Which Configuration > Network button registers new or modified settings?

- A. Restart
- B. Apply
- C. Save
- D. Reset

Answer: B

Question No: 14

Which two options to be noted during infrastructure configuration? (Choose two.)

- A. IP address
- B. MAC address
- C. number of screens
- D. serial number
- E. number of rows

Answer: C,E

Question No: 15

Which two infrastructure options provide gatekeeper functionality for the IX5000? (Choose two.)

- A. Unified Communicators Manager
- B. Cisco VCS
- C. TP Server
- D. Prime Collaboration