

Practice Exam Questions



Professional
Certification



C1000-085

IBM Netezza Performance Server Administrator



EXAMKILLER

Help Pass Your Exam At First Try

Total Question: 60 QAs

Question No: 1

To enable or disable multiple schema support on the IBM Netezza Performance Server, which configuration file needs to be updated?

- A. system.cfg
- B. pg_hba.conf
- C. postgresql.conf
- D. startup.cfg

Answer: C

Question No: 2

Which partition on the SPU node is used to store transient working data that is generated during query execution?

- A. Primary
- B. Nzscratch
- C. Mirror
- D. nzlocal

Answer: A

Question No: 3

What access is required to create a new user in IBM Netezza Performance Server?

- A. An account with NEW USER administrative privilege
- B. An account with CREATE USER administrative privilege.
- C. An account with CREATE GROUP access on the host OS.
- D. An account with CREATE ID access on the host OS.

Answer: A

Question No: 4

How does IBM Netezza Performance Server store data?

- A. Tables are distributed across all data slices compressed
- B. Tables are distributed to a single data slice compressed.
- C. Tables are distributed across all data slices uncompressed.
- D. Tables are distributed across a subset of data slices uncompressed.

Answer: A

Question No: 5

What is the name of the IBM Netezza Performance Server Replication node at the target nodes when using Netezza Replication Services?

- A. SUBORDINATE NODE
- B. MASTER NODE
- C. STANDBY NODE
- D. PRIMARY NODE

Answer: B

Question No: 6

Which three scripts are included in the IBM Netezza Performance Server Software Support Tools?

- A. nzsql
- B. nz_ddl
- C. nzsqa
- D. nz_stats
- E. nzbackup
- F. nz tables

Answer: C,E,F

Question No: 7

What is the purpose of the nzstate command?

- A. restore the database to the last backup
- B. list the state of the system
- C. list the states of backups available
- D. list the state of a running query

Answer: A

Question No: 8

By default, when are the postgres logs rotated on an IBM Netezza Performance Server?

- A. hourly or greater than 100 MB
- B. daily or greater than 1 GB
- C. monthly or greater than 10 GB
- D. weekly or greater than 5 GB

Answer: A

Question No: 9

Which two file formats are valid for external tables?

- A. text-delimited
- B. fixed-length
- C. JSON
- D. HL7
- E. XML

Answer: A,C

Question No: 10

What is the order of the operations of a typical snippet in a query plan?

Unordered Options

ScanNode

SortNode

RestrictNode

ReturnNode

Ordered Options

Answer:

Unordered Options

ScanNode

SortNode

RestrictNode

ReturnNode

Ordered Options

SortNode

RestrictNode

ScanNode

ReturnNode

Question No: 11

What two files are extracted from the SQL Extension toolkit package?

- A. libnetinza-version.tar.gz
- B. libnetsqlext-version.tar.gz
- C. libnetxml-version.tar.gz
- D. libnetcrypto-version.tar.gz
- E. libnetsqlkit-version.tar.gz

Answer: A,E

Question No: 12

Which two commands will show a query plan without running the query?

- A. nz_plan querytext
- B. EXPLAIN PLAN FILE querytext
- C. EXPLAIN PLANGRAPH querytext
- D. EXPLAIN querytext
- E. nzsql -t querytext -O planfile.pln

Answer: A,D

Question No: 13

Which two command line support tools are used to determine the order of data for a given table?

- A. nz_physical_table_layout
- B. nz_zonemap
- C. nz_pagemap
- D. nz_sort_order
- E. nz_get

Answer: B,C

Question No: 14

What command is used to add an event?

- A. nzevent add
- B. nzevent insert
- C. nzevent load
- D. nzevent create

Answer: A

Question No: 15

What are two valid column constraints?

- A. DEFAULT
- B. INITIALLY IMMEDIATE
- C. INITIALLY DEFERRED
- D. NULL
- E. DEFERRABLE

Answer: C,D

Question No: 16

Which two scenarios can be addressed using the nz_check_disk_scan_speeds command?

- A. check system status
- B. get skew information distributed across disks
- C. see disk read and write speeds
- D. slow performing SPU or drive
- E. get disk storage utilization details

Answer: B,E

Question No: 17

What is the maximum length of a CHAR/VARCHAR column?

- A. 65.535
- B. 32.000
- C. 64,000
- D. 16.000

Answer: A

Question No: 18

Which two commands can be used to get a plan file for a query?

- A. nzsql -c "show planfile <planid>"
- B. nzsql -c "select plan_text from _v_plan"
- C. nzsql -c "get planfile <planid>"
- D. nz_get <planid>
- E. nz_plan <planid>

Answer: A,D