Practice Exam Questions



C1000-138

IBM API Connect
Solution Implementation



Total Questions: 74 QAs

Question No: 1

What can be configured to secure communication between the Gateway server and the Cloud Manager?

A. OAuth 2.0

B. TLS Profiles

C. Network HSM

D. Java KeyStore

Answer: A

Question No: 2

What should be checked to debug the error "Access denied" when updating a cluster in Developer Portal?

A. If all the nodes are synchronized

B. If the SMTP configuration is in Cloud manager

C. If passwords are matching in existing and new Nodes

D. If the site.id is valid using the list sites -p command

Answer: C

Question No: 3

Custom dashboards allow a set of related visualizations to be grouped together in API Manager.

What can be done as part of the customization?

A. Add previously saved APIs.

B. View previously saved APIs.

C. Add previously saved visualizations.

D. View previously saved visualizations.

Answer: C

Question No: 4

To enable a Developer Portal to use social login, for example log in with a Facebook credentials, which step needs to be done first?

A. A Set "Portal Delegated User Registry" in the Catalog settings.

- B. Enable "Hybrid Auth" in Developer Portal administrator settings.
- C. Configure Facebook authentication in the Cloud Management Console.
- D. Register the Facebook developer key in the Developer Portal auth settings.

Answer: B

Question No: 5

An administrator wants to back up the IBM API Connect configuration and user data, and store the file on an FTP server by using the command config save apiconfig ftp at the Command Line Interface.

The configuration information from which of the following components will be backed up?

A. Analytics and Gateway Servers

- B. Cloud Manager and API Manager
- C. Cloud Manager, API Manager and Analytics

D. Cloud Manager, API Manager, Analytics and Developer Portal

Answer: B

Question No: 6

What is the option to test API endpoints with API Designer?

- A. Explore
- B. Express
- C. Connector
- D. Test branch

Answer: A

Question No: 7

By default, what type of traffic can take advantage of the self-balancing capabilities of the IBM DataPower appliance?

- A. Developer Portal
- B. Inbound API calls
- C. API Developer tasks
- D. Cloud Management Console

Answer: C

Question No: 8

What is used to create an API Gateway extension in IBM DataPower Gateway?

- A. Extension rule
- B. Transform rule
- C. Processing rule
- D. Transaction rule

Answer: B

Question No: 9

If a Micro Gateway is being used, what is a possible reason for the following error message?

Error Message: Service test-gw started but did not initialize within the timeout period. Dumping log buffer.

- A. An API that uses HTTP cannot be used.
- B. An API that uses HTTPS cannot be used.
- C. An API that uses both HTTP and HTTPS can be used.
- D. An API that uses both HTTP and HTTPS cannot be used.

Answer: D

Question No: 10

Which two statements are true regarding a Plan in Developer Portal?

- A. Plans cannot have multiple rate limits set per operation.
- B. The burst limit feature is available only through Micro Gateway.
- C. A Plan is a collection of API operations or subsets of operations from one or more APIs.
- D. All Plans are available to use immediately and requires no access to the Developer Portal.
- E. A Plan can have a shared rate limit for all the operations or each operation can have a different rate limit.

Answer: A,E

Question No: 11

Which feature in the Developer Portal helps to test the behavior of an API without the need to write any code?

A. Assemble

B. Try This Operation

C. Request Operation

D. Discover This Operation

Answer: B

Question No: 12

Where is the API Gateway extension uploaded in the IBM API Connect Cloud?

A. API Manager

B. Developer Portal

C. Collective Controller

D. Cloud Management Console

Answer: D

Question No: 13

What does an application developer need to do to use an API?

A. Subscribe to a Plan.

B. Subscribe to a Product.

C. Write an AngularJS application.

D. Register in the Developer Portal.

Answer: D

Question No: 14

An administrator wants to use a rate limit to provide differing levels of service to customers. At which level can the rate limit be applied?

A. API

B. Plan

C. Catalog

D. Product

Answer: B

Question No: 15

IBM API Connect partitions Product catalogs into spaces that has their own Product lifecycle management, subscription approvals, and analytics data.

How can this be achieved?

A. Plans

B. Syndication

C. Provider organizations

D. Developer organizations

Answer: B

Question No: 16

What can be used to validate a product file definition?

A. OpenAPI

B. API Manager

C. Developer toolkit

D. Product definition template

Answer: A

Question No: 17

IBM API Connect provides self-service onboarding and invitation-based sign up for App Developers.

Where is this capability set?

A. At the Role level

B. At the Catalog level

C. At the Environment level

D. At the Organization level

Answer: D

Question No: 18

Which two options allow the creation and modification of APIs in IBM API Connect? (Select two.)

A. API Manager

B. API Designer

C. GatewayScript

D. Developer Portal

E. Cloud Management Console

Answer: B,C

Question No: 19

What will happen to changes a customer makes directly on an APIM domain on an IBM DataPower Gateway server when the customer upgrades the API Management server?

A. The DataPower Gateway server will need to be removed and re-added for changes to be unaffected.

- B. Upgrading the Management server has no direct effect on an APIM domain on DataPower Gateway servers.
- C. The DataPower Gateway server will save the configuration and auto recover once the API Connect server has been upgraded.
- D. Changes the customer makes on the DataPower Gateway server under the APIM domain will be overwritten and will need to be re-configured.

Answer: A

Question No: 20

Which two projects would best suit the capabilities of IBM API Connect? (Select two.)

A. High speed media transfer

- B. Building a responsive web app
- C. Master Data Management across sites
- D. Expanding mobile/web application channels