

Practice Exam Questions



Professional
Certification



C1000-143

IBM Cloud Pak for Watson AIOps Administrator



EXAMKILLER

Help Pass Your Exam At First Try



Exam C1000-143

IBM Cloud Pak for Watson AIOps v3.2 Administrator

Version: 6.0

[Total Questions: 65]

Question No : 1

What are two prerequisites to install the Netcool Hybrid Deployment Option Integration Kit on an on-premises Operations Management (NOI) installation?

- A. First, download the correct version of Integration Kit from Passport Advantage.
- B. Installation Manager must use SSL and have the correct certificate installed.
- C. Installation Manager V1.9 or later (can be run in GUI mode.)
- D. Installation Manager must be set to search for latest on Passport Advantage to download latest versions of components.
- E. The primary and backup Object Servers are both running and are accessible on external IP addresses.

Answer: D,E

Question No : 2

What step should be taken to ensure that the uninstall of AI Manager does not affect the Event Manager when using the script found at <https://github.com/IBM/cp4waiops-samples/tree/main/uninstall/3-2/uninstall-cp4waiops.sh>?

- A. Specify ONLY CLOUDPAK="false" in the uninstall-cp4waiops-resource-groups.props file.
- B. No special action is required, as the Event manager is running on a separate namespace.
- C. This is not possible. Uninstalling AI Manager will always affect the Independent Event Manager.
- D. Specify _-ONLY CLOUDPAK="false" in the command line.

Answer: A

Question No : 3

Which statement is true about the Cloud Native Event Analytics (CNEA) component of Event Manager?

- A. It runs entirely on RedHat OpenShift, but only within the customer's data center.
- B. It runs entirely on a public cloud.
- C. It runs entirely on RedHat OpenShift.
- D. It runs entirely on RedHat OpenShift, but only on a public cloud.

Answer: D

Question No : 4

Which Kubernetes namespaces can be used for the installation of AI Manager?

- A. kube, kube-ibm, cp4aiops, default
- B. kube-system, kube-public, openshift-node, openshift-infra, openshift
- C. aimanager. cp4aiops, cp4waiops
- D. kube-system. kube-public, node-public, ibm-node

Answer: C

Question No : 5

For AI Manager, which type of ChatOps channel surfaces stories?

- A. Reactive
- B. Proactive
- C. Public
- D. Private

Answer: A

Question No : 6

Which secret provides the credential for importing WebGUI settings in Event Manager?

- A. <no-instance>-was-secret
- B. <noi-instance>-settings-secret
- C. aiops-was-secret
- D. <noi-instance>-secret

Answer: D

Question No : 7

A RedHat OpenShift Container Platform cluster has been restarted and the AI Manager deployment did not start successfully. What can be done to fix this issue?

- A. Delete all pods with Configuring status in openshift-operator project.
- B. Delete all pods where the status is not Running or Completed in common-services project.
- C. Delete all pods with Running status in common-services project.
- D. Delete all pods with where the status is not Running or Completed in openshift-operator project.

Answer: C

Question No : 8

Which two log files are generated in Metric Manager?

- A. Installation
- B. Application
- C. Activity
- D. Mediation Tool
- E. Data Operation

Answer: D,E

Question No : 9

In AI Manager, alert correlation is determined based on a combination of scope-based correlation and which other two types of correlation?

- A. Anomaly
- B. Resolution
- C. Temporal
- D. Topological
- E. Event

Answer: A,B

Question No : 10

What is the result of issuing the following CLI command?

```
oc get installations.orchestrator.aiops.ibm.com -A && oc get aimanager -A
```

- A. Verifies the installation status for AI Manager
- B. Checks cluster readiness for an AI Manager installation
- C. Connects the installation orchestrator with
- D. Installs the AI Manager and installation orchestrator

Answer: D

Question No : 11

Which statement is true about topology management in Cloud Pak for Watson AIOps?

- A. It has an ETSI interface (European Telecommunications Standards Institute)
- B. It enables the real-time and historical visualization of highly dynamic and distributed infrastructure
- C. It provides a holistic view into geographic data
- D. It provides Root Cause Analysis (RCA)

Answer: B

Question No : 12

In Event Manager, what role is needed to access the Topology UI to define custom UI elements for the Topology Viewer?

- A. inasm_admin
- B. inasm_editor
- C. inasm_developer
- D. inasm_operator

Answer: D

Question No : 13

When a user logs on to any of the components on a Cloud Pak for Watson AIOps deployed cluster and it is too slow or times out, what can be done to resolve the issue?

- A. Update the ldap-proxy-config ConfigMap and set the LDAP_RECURSIVE_SEARCH to "false".
- B. Update the platform-auth-idp ConfigMap and set the LDAP_TIMEOUT to a higher value.
- C. Update the ldap-proxy-config ConfigMap and set the LDAP_TIMEOUT to a higher value.
- D. Update the platform-auth-idp ConfigMap and set the LDAP_RECURSIVE_SEARCH to "false"

Answer: A

Question No : 14

What are two valid Runbook types in Event Manager?

- A. Partial
- B. Semi-automated
- C. Initial
- D. Fully-automated
- E. Locked-partial

Answer: C,D

Question No : 15

Which two self-monitoring parameters of an ObjectServer should be watched closely?

- A. Total trigger times in the profiling period
- B. Java heap size
- C. alerts.status row counts
- D. Pod restarts number
- E. Total message queue duration

Answer: B,C

Question No : 16

Which statement is true when configuring an LDAP user registry for Metric Manager?

- A. Default LDAP configuration is equal to default CloudPak LDAP settings, however Single Sign On (SSO) with DASH should be configured.

- B. There is no need to configure LDAP user registry as Metric Manager is part of Cloud Pak for Watson AIOps.
- C. It is necessary to create an ldapRegistry.xml file with appropriate content for the LDAP server.
- D. The LDAP directory must be assigned to a Team as a resource before configuring an LDAP user registry for Metric Manager.

Answer: B

Question No : 17

Which two are valid RedHat OpenShift pod errors?

- A. CreatePodSecretError
- B. PodPersistenceError
- C. CrashLoopBackOff
- D. CreateContainerConfigError
- E. ContainerRestartLimitReached

Answer: B,E

Question No : 18

Which field in the ObjectServer usually holds the name of the probe or source of origin of the event?

- A. Location
- B. NodeAlias
- C. Manager
- D. Node

Answer: B

Question No : 19

Which statement is true for statistical baseline log anomaly in AI Manager?

- A. Data that is used for analysis is updated every 30 minutes.
- B. It requires a minimum log line count of 1000.