

## IBM C2070-994 Exam

### Volume: 67 Questions

#### Question No:1

An account payable department needs to collect and gather information from the receipts of its employees as part of their expense reporting process. Although many of the receipts follow specific patterns there are some images, such as handwritten receipts, that do not lend themselves to having their information gathered by automation and require a human to analyze the image for the data to be extracted.

Which of the following methods would be best suited for this type of data extraction?

- A. Zonal
- B. Click N Key
- C. Locating by keyword
- D. Locate with regular expressions

Answer: B

Explanation: Click N Key is the fourth and final method of extracting data from a form is for the data entry operator to click the form. Data at that location is then extracted and placed into the active field. This is the least preferred approach because it is the most expensive (it requires a human to do the clicking), although it is reliable.

Note: There are four ways of extracting data from an image. They are ranked in order of preferable practice:

Zonal, Locate with regular expressions, Locating by keyword, Click N Key.

References: IBM Redbooks, Implementing Document Imaging and Capture Solutions with IBM Datacap, Second Edition (October 2015), page 125

#### Question No:2

A solution designer is trying to create a ruleset to validate currency field values.

Which of the following values would need to be adjusted prior to running IsFieldCurrency successfully?

- A. 123.4
- B. 123.40
- C. \$123.4

## IBM C2070-994 Exam

D. 123.40 USD

Answer: A,C,D

Explanation: IsFieldCurrency determines if the captured value of the Field meets the currency format of the current locale.

It returns True if the field is a number and includes a two-digit decimal amount; returns False otherwise. The action ignores any leading currency symbol (for example, \$).

This determination includes the number of decimal places, decimal and digit separator characters and any present currency indicators.

Example

IsFieldCurrency()

\$1,200 returns False

\$1,200.00 returns True

References:

[https://www.ibm.com/support/knowledgecenter/en/SSZRWV\\_9.0.0/com.ibm.dc.develop.doc/dcadg618.htm](https://www.ibm.com/support/knowledgecenter/en/SSZRWV_9.0.0/com.ibm.dc.develop.doc/dcadg618.htm)

[https://www.ibm.com/support/knowledgecenter/en/SSZRWV\\_9.0.0/com.ibm.dc.develop.doc/dcadgg50.htm](https://www.ibm.com/support/knowledgecenter/en/SSZRWV_9.0.0/com.ibm.dc.develop.doc/dcadgg50.htm)

Question No:3

Which of the following log files contains information on new applications or applications copied using the Datacap Application Wizard?

A. appwiz.log

B. updatewiz.log

C. application.log

D. appupdatewiz.log

Answer: A

Explanation: Click View Logs to open the appwiz.new.log file and search for any error and warning messages.

References:

[https://www.ibm.com/support/knowledgecenter/en/SSZRWV\\_9.0.0/com.ibm.dc.develop.doc/dcane006.htm](https://www.ibm.com/support/knowledgecenter/en/SSZRWV_9.0.0/com.ibm.dc.develop.doc/dcane006.htm)

Question No:4

## IBM C2070-994 Exam

For a profile to be visible in the Mobile app's configuration screen, what two conditions must be met?

- A. The Profile name is set to Mobile.
- B. The mode of a task is set to Branch.
- C. The name of a task in the profile is set to Mobile.
- D. The program option of a task is set to Mobile Capture.
- E. The mode of a task in the profile is set to Batch Creation.

Answer: D,E

Explanation: To enable access to IBM Datacap on a mobile device:

In Datacap Web Client (V8.1) or Datacap Navigator (V9.0 or later), add or modify a job in the workflow:

Create the first task and set the Mode to Batch creation.

Set Program to Mobile.

References:

[https://www.ibm.com/support/knowledgecenter/en/SSZRWV\\_9.0.0/com.ibm.dc.admin.doc/dcaad054.htm](https://www.ibm.com/support/knowledgecenter/en/SSZRWV_9.0.0/com.ibm.dc.admin.doc/dcaad054.htm)

Question No:5

A company wants to export documents to IBM FileNet P8 Content Engine using the FileNet P8 action library.

Which of the following components must be installed on the Datacap servers in order to export?

- A. WorkplaceXT
- B. Content Engine .NET client
- C. FileNet Enterprise Manager
- D. Content Engine Java client

Answer: B

Explanation: The following repository clients must be installed on the Datacap Web Client that runs the Datacap export process. These clients are run on Microsoft Windows operating systems.

## IBM C2070-994 Exam

### References:

[https://www.ibm.com/support/knowledgecenter/en/SSZRWV\\_9.0.0/com.ibm.dc.develop.doc/dcadg659.htm](https://www.ibm.com/support/knowledgecenter/en/SSZRWV_9.0.0/com.ibm.dc.develop.doc/dcadg659.htm)

### Question No:6

An insurance company has a requirement that the person that scans the batch must not be the same person that validates the batch.

Which task detail setting will meet this requirement?

- A. Mode: Router, Queue by: Station ID
- B. Mode: Router, Queue by: Other User
- C. Queue by: User ID, Store by: Other User
- D. Queue by: Other Station, Store by: User ID

Answer: C

**Explanation:** You can set up a batch workflow task to allow a user or station to queue the next task to another user or station. The Queue By option Other User means that the user that stored the batch cannot open the batch.

You can define the users and stations that can open and process a batch through a task. Setting up queuing is optional. You must set up the Store field on a prior task that is performed by the target user or station, so it is available for use by a subsequent task.

### References:

[https://www.ibm.com/support/knowledgecenter/en/SSZRWV\\_9.0.0/com.ibm.dc.admin.doc/dcaad007.htm](https://www.ibm.com/support/knowledgecenter/en/SSZRWV_9.0.0/com.ibm.dc.admin.doc/dcaad007.htm)

### Question No:7

A company has decided to use structure-based identification for all scanned images defined as "Invoice" in the DCO. During the scan process all images are assigned the default of "Other".

Which of the following actions should be called and be successfully completed prior to performing any actions on "Other" images?

- A. SetDCOType
- B. SetPageType
- C. SetDCOStatus

## IBM C2070-994 Exam

### D. SetDocumentType

Answer: A

Explanation: SetDCOType assigns a value to the Type property of the current object of the Document Hierarchy.

### Question No:8

An insurance company has two kinds of members: pre 1978 member IDs that are alpha numeric and post 1978 that are all numeric. The batches are prepped in a way that contains both types of members. The pre 1978 members need special handling and must be routed to a supervisor. Which of the following set of actions would provide a routing solution?

A. Function 1IsRegExInField("^ [A-Z]{3}[0-9]{7}") Task\_SplitBatch("1") Task\_RaiseCondition("0,0")  
Function 2IsFieldPercentNumeric("100")

B. Function 1IsPatternInField("^ [A-Z]{3}[0-9]{7}") Task\_NumberOfSplits("1")  
Task\_RaiseCondition("0,0") Function 2IsFieldPercentNumeric("100")

C. Function 1IsRegExInField("^ [A-Z]{3}[0-9]{7}") Task\_NumberOfSplits("1")  
Task\_ConditionRaiseTo("0,0") Function 2IsFieldPercentNumeric("100")

D. Function 1IsPatternInField("^ [A-Z]{3}[0-9]{7}") Task\_SplitBatch("1")  
Task\_ConditionRaiseTo("0,0") Function 2IsFieldPercentNumeric("100")

Answer: B

Explanation: IsPatternInField checks that the value of the current field contains the specified VBScript regular expression.

Task\_NumberOfSplits specifies the number of jobs the batch is sent to when a condition is raised before it returns to the main workflow. It specifies how many times sub-batches have been created from the current batch.

### Question No:9

Within IBM Datacap there is a file that contains a list of the available report types that are displayed in report Viewer.

When a new report type is created, what is the name and default location of the file that the new report type must be added to?

A. C:\Datacap\RV2\reports.ini

## IBM C2070-994 Exam

- B. C:\Datacap\RV2\reports.xml
- C. C:\Datacap\ReportViewer\reports.ini
- D. C:\Datacap\ReportViewer\reports.dco

Answer: B

Explanation: The C:\Datacap\RV2\reports.xml file contains a list of the available report types that are displayed in Report Viewer. When you create a new report type, you must add the report type to this file.

References:

[https://www.ibm.com/support/knowledgecenter/en/SSZRWW\\_9.0.0/com.ibm.dc.customrv2.doc/dcapi037.htm](https://www.ibm.com/support/knowledgecenter/en/SSZRWW_9.0.0/com.ibm.dc.customrv2.doc/dcapi037.htm)

Question No:10

A company wants a two stage verification process where the same user cannot verify the same batch twice.

There will be two verify in the Datacap application. The first verify step can be completed by anyone; the second step must be completed by a different user.

How can they ensure that in the workflow the same user cannot verify the same batch twice?

- A. Queue by User in the first Verify task.
- B. Queue by Other User in the second Verify task.
- C. Queue by Other Station in the second Verify task.
- D. Queue by Other User and Other Station in the first Verify task.

Answer: B

Explanation: Queue by Other User: The user that stored the batch cannot open the batch.

References:

[https://www.ibm.com/support/knowledgecenter/en/SSZRWW\\_9.0.0/com.ibm.dc.admin.doc/dcaad007.htm](https://www.ibm.com/support/knowledgecenter/en/SSZRWW_9.0.0/com.ibm.dc.admin.doc/dcaad007.htm)

Question No:11

A developer is testing a newly created ruleset in Datacap Studio.

Where are the result displayed in Datacap Studio?