

Practice Exam Questions



Professional
Certification



C2090-623

IBM Cognos Analytics Administrator



EXAMKILLER

Help Pass Your Exam At First Try

Total Question: 60 QAs

Question No: 1

Which statement is true about the Default User Profile?

- A. It includes the option to disable hints.
- B. It is used only for the initial login of a user.
- C. A change will have an effect only after a user's next login.
- D. It is defined in the IBM Configuration Portal, under the Dispatchers and Services section.

Answer: A

Question No: 2

An administrator deleted a group inadvertently then recreated it, but now the access permissions based on that group no longer work.

What must be done?

- A. Reimplement all the access permissions.
- B. On the group properties, select "Apply to all children".
- C. Make sure that it has the exact same spelling as before.
- D. Restore from a backup selecting only the access permissions.

Answer: D

Question No: 3

An administrator needs to exclude users from rendering reports as PDF output.

How can this be enabled?

- A. Modify the permissions for the generate PDF Output capability.
- B. Use Theme Manager to remove the generate PDF Output option.
- C. Create a role name "PDF output", add the built-in entry group name "Everyone" and set the permission to Deny.
- D. Modify the file located in <install>\templates\ps\system.xml, locate the line <format id="PDF">, and add the following attribute enabled="false".

Answer: A

Question No: 4

A CQM report successfully runs in another environment but fails in IBM Cognos Analytics. Environments are identical except for the versions.

How could the issue be identified?

- A. Perform a UDA trace.
- B. Modify the ipfserverconfig.xml.
- C. Increase the logging level of the Query service.
- D. Restart the IBM Cognos Analytics service to eliminate all remaining BIBus processes.

Answer: B

Question No: 5

An administrator is evaluating system status using the Scorecard pane on the Status > System page in the

IBM Cognos Administration console.

Which statement is true?

- A. If a service is disabled in IBM Cognos Configuration, it is listed in the Scorecard pane.
- B. The status that is displayed for each entry reflects the lowest status for all child entries.
- C. A status of Available is displayed when at least 80% of the child entries have a status of Available.
- D. A status of Unavailable is displayed when at least 80% of the child entries have a status of Unavailable.

Answer: B

Question No: 6

An administrator needs to add users from multiple authentication providers to a single role.

What needs to be done?

- A. Log on to each of the namespaces before starting.
- B. Add external namespaces to the Cognos namespace manually.
- C. Add the users to a Cognos group, then add the group to the Cognos role.
- D. Import the users to the Cognos namespace first, then add the users to the Cognos role.

Answer: B

Question No: 7

To monitor performance, an administrator has set thresholds on a system metric and notices that over time, the metric score has changed from green, to yellow, to red, and then back to yellow.

Which system metric is the administrator monitoring?

- A. Dispatcher: JVM: Current heap size
- B. ContentManageService: Request: Number of failed requests
- C. ReportService: Process: Number of processes high watermark
- D. BatchReportService: Request: Percentage of successful requests

Answer: B

Question No: 8

An administrator needs to setup security for a newly installed environment.

Which of the following is a valid step?

- A. Remove the default authentication provider.
- B. Enable anonymous access for selected users, groups, or roles.
- C. Delete the Everyone group to limit access to the environment for selected users, groups, and roles.
- D. Add trusted users, groups, or roles to the System Administrators role, and then remove the Everyone group from the role.

Answer: D

Question No: 9

An administrator created a Content Store export and included the user account information.

How can a listing of the content be exported?

- A. Within the export, ensure the Recording level option is set to Trace.
- B. By default when the Content Store is backed up, a full detailed listing is generated and available in the Logs folder.
- C. Modify the Advanced settings on the ContentManagerService by adding the parameter

CM.DeploymentDetailEntireContent with a value of true.

D. Modify the Advanced settings on the ContentManagerService by adding the parameter CM.DeploymentIncludeConfiguration with a value of true.

Answer: D

Question No: 10

An administrator wants to describe the internal architecture and request flow for a Query service of an executed DQM report.

How is this done?

A. A report specification is executed via BIBus which directly queries via RDBMS adapter, and caches then waits for the result and generates the report output.

B. A report specification is executed via Query service which directly queries via RDBMS adapter, and caches then waits for the result and generates the report output.

C. A report specification is executed via Query service which parses the request into two trees and executes via RDBMS adapter and caches then waits for the result and generates the report output.

D. A report specification is executed via BIBus then to Query service which parses the request into two trees and executes via RDBMS adapter and caches then waits for the result and generates the report output.

Answer: B

Question No: 11

An administrator has configured authentication.

Which statement is true for users logging on to the application?

A. When anonymous access is enabled users cannot log on to a 3rd party authentication provider namespace.

B. Users will be automatically logged off after a defined inactivity timeout period that is set in IBM Cognos Configuration.

C. Although multiple 3rd party authentication provider namespaces are configured, a user can only be logged on to one namespace at a time.

D. After a defined number of failed log on attempts a user will be locked out of their account, which will require intervention through the IBM Administration console.

Answer: B

Question No: 12

In a multi-server environment, an administrator wants to ensure that items in the Content Manager Cache service are revalidated every thirty seconds.

Which option would accomplish this?

A. Set the memory limit of the Content Manager Cache service to 30000.

B. Set the DISP.content Manager CacheService.accountInactivityTimer property to 30000.

C. Set the DISP.content Manager CacheService.cacheValidatorTime to Live property to 30000.

D. Set the DISP.content Manager CacheService.cacheValidatorTime to Linger property to 30000.

Answer: C

Question No: 13

An administrator is checking the current activities and recognizes one activity with several successful tasks with two still running. The administrator cancels this activity.

Where will this activity be shown?

- A. In the past activities with status canceled.
- B. In the past activities with status succeeded.
- C. In the current activities with status canceled.
- D. It will be automatically rescheduled under upcoming activities.

Answer: A

Question No: 14

All users have unrestricted access in a secured environment.

What must be modified to control this access?

- A. Delete the "All Authenticated Users" group.
- B. Disable anonymous access using IBM Cognos Configuration.
- C. Modify the advanced properties of the authorization namespace.
- D. Remove the "Everyone" group from the "System Administrators" role.

Answer: B

Question No: 15

An administrator wants to use one of the sample audit reports to view the percentage of successful and failed requests for the current day.


What must be done before they can successfully run this report?

- A. Set the logging level for the sample report to Minimal.
- B. Create a datasource connection to the logging database.
- C. Modify the report so that it can be displayed correctly in HTML and PDF formats.
- D. Import the Audit.cpf into the Content Store using the IBM Cognos Administration console.

Answer: B

Question No: 16

The following distributed environment has been configured:



The administrator wants to limit writes to the audit database connection from the Content Manager server only.

What needs to be configured?

- A. The Content Store configuration has to be set up on the application tiers servers.
- B. In advanced settings, add the parameter RSVP.logging.databasecontrol with the value <Content Manager Server>:<Port>.
- C. An advanced routing has to be configured in Cognos Administration audit requests from application tiers