

## **GAQM CLSSBB Exam**

**Volume: 300 Questions**

Question No: 1

A \_\_\_\_\_ is used primarily to track the stability of the average value of a metric of interest.

- A. NP Chart
- B. Xbar-R Chart
- C. I-MR Chart
- D. C Chart

Answer: B

Question No: 2

For her injection molding project a Belt needed to track the percentage of defectives of a particular sample set so she used a \_\_\_\_\_ to display the data?

- A. Individual Chart
- B. C Chart
- C. Xbar Chart
- D. P Chart

Answer: D

Question No: 3

Which of these graphs demonstrates conditions which would be sufficient to enable OCAP for the process?.

- A. Xbar Chart
- B. Time Series Chart
- C. Neither
- D. Both

## **GAQM CLSSBB Exam**

Answer: A

Question No: 4

Control Charts were developed by Dr. Shewhart to track data over time. To detect Special Cause variation the Control Charts use which of these?

- A. Data shift analysis
- B. Outlier analysis methods
- C. Center Line and Control Limits
- D. None of the above

Answer: C

Question No: 5

Common and \_\_\_\_\_ Cause Variation are the focus of Statistical Process Control.

- A. Uncommon
- B. Ordinary
- C. Special
- D. Selective

Answer: C

Question No: 6

Special Cause Variation falls into which two categories?

- A. Natural & Unnatural
- B. Short Term & Long Term
- C. Assignable & Pattern
- D. Attribute & Discreet

## **GAQM CLSSBB Exam**

Answer: C

Question No: 7

Range Charts are the technique used to determine if Special Causes are occurring within the subgroups of the \_\_\_\_\_.

- A. Histograms
- B. SPC Charts
- C. NP Charts
- D. Pareto Charts

Answer: B

Question No: 8

If the production is for higher volume and monitoring and the Mean and variability is to be monitored for four machines producing product and the characteristic to be monitored is Variable Data, which SPC Chart is best to be selected?

- A. Xbar-R Chart
- B. Individual-MR Chart
- C. NP Chart
- D. CUSUM Chart

Answer: A

Question No: 9

When a Belt Poka-Yoke's a defect out of the process entirely then she should track the activity with a robust SPC system on the characteristic of interest in the defect as an early warning system.

- A. True
- B. False

Answer: B

## **GAQM CLSSBB Exam**

Question No: 10

Following the completion of a LSS project the Belt not only creates a Control Plan he also develops a \_\_\_\_\_ so those involved in the process know what to do when the critical metrics move out of spec.

- A. Response Plan
- B. Call List
- C. Chain-of-Command
- D. Defect Analysis Plan

Answer: A

Question No: 11

The Control Limits width varies if the sample size varies for which type of chart?

- A. P Charts
- B. NP Charts
- C. Xbar-R Charts
- D. Time Series Charts

Answer: A

Question No: 12

Which of these elements are not included in Implementation plans?

- A. Work breakdown structure
- B. Risk management plans
- C. Cost/Benefit ratios
- D. Planned audits of work completion

Answer: C

## **GAQM CLSSBB Exam**

Question No: 13

Upon completion and validation of an improvement to a process a Belt and the Project Team create a Control Plan that contains which of these?

- A. Standard operating work description of the process change
- B. Description of the monitoring system in place to assure continued compliance
- C. Summary of the targeted critical metrics for process performance measurement
- D. All of the above

Answer: D

Question No: 14

What conclusion is most correct about the Experimental Design shown here with the response in the far right column?

| Adv | Bev | Des | Crux | Response |
|-----|-----|-----|------|----------|
| -1  | -1  | -1  | -1   | 20       |
| 1   | -1  | -1  | 1    | 14       |
| -1  | 1   | -1  | 1    | 17       |
| 1   | 1   | -1  | -1   | 10       |
| -1  | -1  | 1   | 1    | 19       |
| 1   | -1  | 1   | -1   | 13       |
| -1  | 1   | 1   | -1   | 14       |
| 1   | 1   | 1   | 1    | 10       |

- A. No factor has enough statistical confidence greater than 95% to have an impact on the response rate
- B. Constant, Adv and Bev are the only factors statistically affecting the response rate with 95% confidence or more
- C. If the Adv is increased from the low level to the high level, the response rate increases
- D. The response level is statistically concluded to only need the Adv and Bev factors set at the low level to get the largest response rate
- E. This design does not have enough experimental runs to conclude anything as evidenced by the lack of P-values in the MINITAB™ output