### Practice Exam Questions



SAP S/4HANA
System Administration



# **SAP**Exam C\_TADM\_23

## SAP Certified Technology Consultant – SAP S/4HANA System Administration

Version: 2.0

[ Total Questions: 81 ]

#### **Question No: 1**

Using standard tp settings, how does the transport strategy 'Queue-Driven Transports, Mass transports' differ from 'Queue-Driven Transports, Single transports'? Note: There are 3 correct answers to this question.

- **A.** Using the 'Import Request' button causes the imported transport requests to remain in the import queue.
- **B.** The 'Import All Requests' button is available.
- **C.** Return Code 16 is caused by an erroneous object in a transport request.
- **D.** Return Code 8 is considered a successful import.
- **E.** The import process can be scheduled in the background.

Answer: A,B,E

#### **Question No: 2**

In an AS ABAP-based SAP system, a user performs the second dialog step in a dialog transaction.

The dialog work process used in the first dialog step is occupied by a different user. What happens with this second user request?

- **A.** The dialog work process that handled the first dialog step performs a rollout to handle the request.
- **B.** The request is processed asynchronously by an update work process.
- **C.** The request remains in the request queue until the dialog work process that handled the first dialog step is free again.
- **D.** The request is processed by a different free dialog work process.

Answer: D

#### **Question No: 3**

During the installation of SAP Solution Manager AS ABAP 7.2, which of the following user IDs does SAPinst suggest for SAP Solution Manager AS Java 7.2? Note: There are 2 correct answers to this question.

- A. J2EE\_ADMIN
- B. SAP\*
- C. SAPJSF
- **D.** Administrator

#### Answer: A,C

#### **Question No: 4**

You want to configure the TMS QA Approval procedure for an AS ABAP-based system landscape.

Which approval steps can you choose? Note: There are 3 correct answers to this question.

- **A.** To be approved by request owner
- **B.** To be approved by developer
- **C.** To be approved by system administration
- **D.** To be approved by project manager
- E. To be approved by department

Answer: A,C,E

#### **Question No: 5**

You want to set up a printer locally on a Microsoft Windows-based AS ABAP. Which host spool access method must you use?

- A. L
- B. U
- C. G
- D.C

**Answer: D** 

#### **Question No: 6**

What is the purpose of the SAP HANA secure user store (hdbuserstore)? Note: There are 2 correct answers to this question.

- A. To store connection information on the SAP HANA XS advanced engine
- B. To configure an SAP HANA auto-restart for fault recovery
- C. To store connection information on the SAP HANA database client
- **D.** To configure failover support in a 3-tier scenario

Answer: C,D

#### **Question No:7**

When installing an SAP S/4HANA Server 1909 system, which actions can the Software Provisioning Manager (SWPM) perform only when the installation is started with the option

SAPINST\_STACK\_XML? Note: There are 3 correct answers to this question.

- A. Apply a SPAM/SAINT update
- **B.** Set the password of user DDIC in client 000
- C. Set up Transport Management System (TMS)
- D. Import additional languages
- E. Install an SAP Host Agent

Answer: A,C,D

#### **Question No:8**

You have passed the initial authentication for an SAP Fiori transactional app. Which authentication technology is used for subsequent OData calls of this app?

- **A.** SAML 2.0
- B. X.509 client certificates
- **C.** SAP logon tickets
- D. ABAP Session Security

**Answer: A** 

#### **Question No:9**

How does a Transport of Copies differ from a Workbench Request? Note: There are 2 correct answers to this question

- **A.** After the import, repository objects in the target system are classified as copies.
- **B.** When creating the transport request, a target system without a consolidation route can be selected.
- **C.** No cofile is created, when releasing the transport request with the Transport Organizer (SE09).

**D.** When importing, the transport request is not forwarded to subsequent delivery systems.

Answer: C,D

#### **Question No: 10**

What are prerequisites for enabling communication between a standalone SAP Web Dispatcher and an AS ABAP-based SAP system? Note: There are 2 correct answers to this question.

- A. Identification of the HTTP port of the ABAP message server
- **B.** Activation of ICF service /sap/public/icf\_info/icr\_groups
- C. Identification of the HTTP port of the PAS instance's ICM process
- **D.** Activation of ICF service /sap/public/ping

Answer: A,B

#### **Question No: 11**

Your SAP S/4HANA Server system consists of an ABAP Central Services instance, a Primary

Application Server instance, and two Additional Application Server instances. How many system

profile files are evaluated for this SAP system during system start?

- **A.** 9
- **B.** 5
- **C**. 8
- **D**. 4

**Answer: B** 

#### **Question No: 12**

How can you register multiple SAP Gateway services simultaneously? Note: There are 2 correct answers to this question.

**A.** Using task list SAP\_GATEWAY\_ACTIVATE\_ODATA\_SERV.

- **B.** Using task list SAP\_GATEWAY\_BASIC\_CONFIG.
- C. Using transaction /IWFND/GW\_CLIENT.
- **D.** Using transaction /IWFND/MAINT\_SERVICE.

Answer: A,D

#### **Question No: 13**

During the import of a transport request, which tools write log files to the tmp subdirectory of the transport directory? Note: There are 3 correct answers to this question.

- A. RDDMNTAB
- B. R3load
- C. R3trans
- D. RDDMASGL
- **E.** Tp

Answer: A,C,D

#### **Question No: 14**

For AS ABAP-based SAP systems, you can use Software Update Manager to update which of the following? Note: There are 2 correct answers to this question.

- A. Database system
- B. Software component SAP BASIS
- C. Implemented SAP Notes
- D. SAP kernel

Answer: B,D

#### **Question No: 15**

You have configured an SAP Web Dispatcher and set: wdisp/ssl\_encrypt=2 icm/server\_port\_<xx>=...PROT=HTTP. Which communication channels does this establish?

**A.** HTTP between the client and SAP Web Dispatcher. HTTPS between SAP Web Dispatcher and the SAP system

#### SAP C TADM 23: Practice Test

- **B.** HTTPS between the client and SAP Web Dispatcher. HTTP between SAP Web Dispatcher and the SAP system
- **C.** HTTP between the client and SAP Web Dispatcher. HTTP between SAP Web Dispatcher and the SAP system
- **D.** HTTPS between the client and SAP Web Dispatcher. HTTPS between SAP Web Dispatcher and the SAP system

**Answer: C** 

#### **Question No: 16**

Under which Java System Properties category do you find an AS Java-based Manager in the SAP NetWeaver Administrator (NWA)?

- A. Kernel
- **B.** VM Environment
- C. Applications
- D. Services

**Answer: A** 

#### **Question No: 17**

What can you do to determine the SAPUI5 patch level in an AS ABAP-based SAP system?

- A. Execute the ICF service /sap/public/bc/ui5\_ui5
- **B.** Check the version of software component SAP\_UI
- C. Use the program WDG MAINTAIN UR MIMES
- **D.** Use the program /UI5/UI5\_UPLOAD\_PATCH\_TO\_MIME

**Answer: B** 

#### **Question No: 18**

What are prerequisites to use the Software Update Manager to apply SAP Support Packages to an AS ABAP-based SAP system? Note: There are 3 correct answers to this question.

A. A Stack XML file must exist.

#### SAP C\_TADM\_23 : Practice Test

- **B.** The SUM archive must have been provided to the SAP Host Agent
- C. The SAP Host Agent must have been configured by SUM.
- **D.** The SUM archive must have been extracted.
- E. The latest SAP kernel patch has been applied to the SAP system

Answer: A,C,D

#### **Question No: 19**

Using the Java Startup and Control Framework, what is the correct sequence of steps to start an application server of an AS Java-based SAP system?

- **A.** Start Offline Deployment Start bootstrap process Start ICM/Server process(es) Connect to Message Server
- **B.** Connect to Message Server Start Offline Deployment Start bootstrap process Start ICM/Server process(es)
- **C.** Start ICM/Server process(es) Start Offline Deployment Start bootstrap process Connect to Message Server
- **D.** Connect to Message Server Start bootstrap process Start Offline Deployment Start ICM/Server process(es)

**Answer: B** 

#### Question No: 20

Which file system locations do you need to specify when installing the SAP HANA multihost database system using the default settings? Note: There are 2 correct answers to this question.

- A. /usr/sap/hostctrl
- B. /hana/shared
- C. /hana/log/<SID>
- D. /usr/sap/<SID>

Answer: B,C

#### **Question No: 21**

You want to add an SAP Fiori group to a user's SAP Fiori launchpad. To what do you have

to assign the SAP Fiori group?

- A. To a user group assigned to the user
- **B.** To a parameter ID of the user
- C. To a role assigned to the user
- **D.** To an authorization profile assigned to the user

**Answer: B** 

#### **Question No: 22**

You are updating an AS Java-based SAP system. Which actions can Software Update Manager execute? Note: There are 2 correct answers to this question.

- **A.** Lock the development environment
- **B.** Update without using a stack configuration file (stack xml file)
- C. Update SAP Host Agent
- D. Check the archives' authenticity

Answer: A,D

#### **Question No: 23**

How can the system database administrator disable tenant database functionalities? Note: There are 2 correct answers to this question.

- **A.** Using the hdbuserstore tool
- **B.** Using the Manage Restricted Features app
- C. Using the Manage Database Configuration app
- **D.** Using the resident hdblcm tool

Answer: C,D

#### Question No : 24

When performing a local client copy with transaction SCCLN, in which client is it recommended to start the client copy?

- **A.** A client different from both the source and the target client
- B. The source client