

Practice Exam Questions

DELLTechnologies



Specialist - Systems Administrator RecoverPoint



EXAMKILLER

Help Pass Your Exam At First Try



Exam E20-575

Specialist-System Administrator - RecoverPoint Version 2.0

Version: 7.0

[Total Questions: 66]

Question No : 1

A RecoverPoint administrator needs to add a local copy to three existing Consistency Groups. The RecoverPoint system currently contains 100 Consistency Groups. Each group has one remote copy with 80 replication sets. Each cluster contains eight physical RPAs.

However, the administrator is unable to add all the local copies. What is a cause for this issue?

- A.** Consistency Group copy cannot have 1024 volumes within the copy
- B.** Cluster has the maximum number of RPAs and cannot be expanded
- C.** Addition of the local volumes will exceed the 16K volume limit per cluster
- D.** RecoverPoint system needs to be converted to a RP/EX system to support the extra volumes

Answer: A

Question No : 2

A company is using XtremIO for their RecoverPoint environment. They have approximately 100 GB of cumulative changes per day with the change being constant throughout the day. The company has a requirement to roll back 48 hours.

How should the Journals be sized and how should the copy policy be configured to ensure maximum protection with the least amount of storage used?

- A.** 5 GB with the "Required Protection Window" set for 2 days
- B.** 10 GB with the "Required Protection Window" set for 2 days
- C.** 40 GB with the "Required Protection Window" set for 2 days
- D.** 200 GB with the "Required Protection Window" set for Default

Answer: C

Question No : 3

A RecoverPoint administrator is planning to use RecoverPoint to protect their applications. The administrator needs to protect 8192 production volumes. The RecoverPoint system has two physical clusters using VNX arrays.

What is a possible Consistency Group configuration?

- A. 4096 Consistency Groups, each with 1 remote copy and 1 local copy
- B. 4096 replication sets, each with 1 remote copy and 1 local copy
- C. 8192 Consistency Groups, each with 1 remote copy and 1 local copy
- D. 8192 replication sets, each with 1 remote copy and 1 local copy

Answer: A

Question No : 4

Why is Image Access instantaneous when testing a copy with XtremIO arrays?

- A. No rolling forward or backward of the Journal is required
- B. XtremIO completes the copy “roll back” as a background task
- C. RecoverPoint performs initialization based on the DIFF result
- D. RecoverPoint uses XtremIO synchronous Snap-based replication

Answer: A

Explanation: References:

Question No : 5

In a RecoverPoint environment, which EMC array supports Snap-based replication?

- A. XtremIO
- B. Data Domain
- C. Unity
- D. VPLEX

Answer: A

Explanation: References:

Question No : 6

Which command can be used to reduce the impact of the initial volume synchronization on production applications?

- A. `config_io_throttling throttling=high`
- B. `config_link_policy group= cgname copy_1=prod_copy copy_2= dr_copy regulate_application=yes`
- C. `config_link_policy group= cgname copy_1=prod_copy copy_2= dr_copy regulate_application=no`
- D. `config_io_throttling throttling=none`

Answer: B

Question No : 7

An administrator ran the `balance_load` command on a RecoverPoint cluster during a high-load issue. However, the administrator forgot to capture the output. Where can the RecoverPoint Cluster Load report be located?

- A. In the output from running the "Collection System Information" wizard
- B. `https://Cluster_Management_IP/info/long_term_statistics`
- C. `https://Cluster_Management_IP/info/load_balancing`
- D. In the output from the `events_log`

Answer: B

Question No : 8

Refer to the exhibit.



Based on the Consistency Group status shown in the exhibit, why is the local copy not connected to the production and remote copy?

- A. Test a Copy wizard is in progress
- B. Consistency Group is failing over
- C. Connection to the local copy cluster has failed
- D. Local copy has failed

Answer: C

Question No : 9

A storage administrator wants to protect their distributed VPLEX volumes using the RecoverPoint, MetroPoint feature. The administrator wants to know if they need to be aware of any special considerations. What information should be provided to the administrator?

- A. Set the RecoverPoint Group Policy to enable group writes across RPAs
- B. RecoverPoint does not support replication of distributed VPLEX devices
- C. All VPLEX devices at both sites can be protected using MetroPoint, regardless of whether they are local or distributed
- D. Both VPLEX clusters must have a RecoverPoint cluster connected in order to create a MetroPoint Consistency Group

Answer: A

Question No : 10

A storage administrator has one production site and one remote site. The administrator configured the RecoverPoint with VNX (SE) cluster at both sites. The current environment has two Consistency Groups configured with two copies each; one production copy and one remote copy. Based on the company's growing business requirements, the administrator has been asked to keep a local copy of the production data.

Which action should occur in order to meet this requirement?

- A. Add a copy into the existing Consistency Group for a local replication
- B. Delete and reconfigure the existing Consistency Group for a local and remote replication
- C. RecoverPoint with VNX (SE) does not support more than two copies in a single

Consistency Group

D. Upgrade the RecoverPoint with VNX (SE) license to RecoverPoint/EX and then reconfigure the Consistency Group

Answer: D

Question No : 11

What is the recommended wait period before running the Balance Load tool?

- A.** 4 Days
- B.** 5 Days
- C.** 6 Days
- D.** 7 Days

Answer: D

Question No : 12

A company has a database, protected by RecoverPoint, that has become corrupted. They want to use the Recover Production wizard to repair the corruption.

Which action must be taken at the production host prior to starting the recovery?

- A.** Unmount the production volume(s)
- B.** Pause replication
- C.** Disable the Consistency Group
- D.** Create a bookmark

Answer: A

Question No : 13

A database team is performing tests against a PIT copy data. Their write activity is going to exceed the currently allocated amount of space dedicated to Image Access mode. What should be done to allow testing to continue without disruption to their testing?

- A. Navigate to Protection> Manage Protection> Select the CG from the list and select the copy. Click Edit Journal, and add one or more additional Journal volumes.
- B. Expand the Journal volume using native array tools.Navigate to Protection>Manage Protection>Select the CG from the list and select the copy.Click Edit Journal, and then select “Expand Journal”.
- C. Navigate to Protection> Manage Protection>Select the CG from the list and select the copy.Click Edit, and then increase the reserved image access percentage from 20%.
- D. Use the config_copy_group= copy= policy image_access_log_size= CLI command

Answer: D

Question No : 14

A RecoverPoint administrator is adding a new user to the system using Unisphere. Which pre-defined user is used to add a new user?

- A. admin
- B. boxmgmt
- C. security-admin
- D. security

Answer: A

Question No : 15

Which parameter is used as the Locking ID for a RecoverPoint/CL license?

- A. RecoverPoint Cluster ID
- B. RecoverPoint System ID
- C. Array serial number if VNX arrays are used
- D. VPLEX Cluster ID if protecting virtual volumes

Answer: A

Explanation: References:

Question No : 16