

EMC E22-285 Exam

Volume: 80 Questions

Question: 1

When adding a VxRail node the validation fails. What could be the cause of this problem?

- A. IPv6 multicasting is not enabled
- B. Only one network interface online
- C. Time on the node was not set correctly
- D. DNS record was not created

Answer: B

Question: 2

You have been asked to deploy a single, 4 node VxRail cluster for company. They would like to migrate from their existing vSphere 6.5 environment. They have also asked that vCenter Enhanced linked-mode be supported.

Based on best practice, what is the recommended deployment model?

- A. Use existing vCenter 6.5 with Embedded PSC
- B. Deploy Internal vCenter with External PSC
- C. Deploy Internal vCenter with Embedded PSC
- D. Use existing vCenter 6.5 with External PSC

Answer: D

Question: 3

What is a requirement for the Top of Rack (ToR) switches used in a VxRail implementation?

- A. MLD Querier
- B. EtherChannel
- C. IPV4 and IPV6 Multicast

EMC E22-285 Exam

D. LACP

Answer: C

Question: 4

To investigate a problem on a VxRail system, the onsite engineer has to collect the complete set of logs.

Which method will collect all logs at once?

A. Download `https://:443/appliance /support-bundle`

B. Export vCenter system logs

C. Run `/mystic/generateFullLogBundlecommand` in VxRail Manager CLI

D. Click “Generate New Log Bundle” in the VxRail Manager GUI

Answer: B

Question: 5

What is the maximum number of hosts supported in a VxRail Stretched Cluster?

A. 15

B. 16

C. 31

D. 32

Answer: C

Question: 6

You are attempting to reset a single G Series node running 4.0.x code to the factory default. You discover that the `configbundle.tgz` file is corrupt.

What is the recommended method to recover the node?

A. Rapid Appliance Self Recovery

B. Node Replacement

EMC E22-285 Exam

C. Mobile Build Server

D. Reset Script

Answer: C

Question: 7

Which requirement is optional for a VxRail Stretched Cluster?

A. Enterprise Plus vSphere Licensing

B. External vCenter

C. IPv6 Multicast between locations

D. Cross-site layer-2 connectivity

Answer: C

Question: 8

Which VxRail node type supports only hybrid storage?

A. S Series

B. E Series

C. G Series

D. V Series

Answer: A

Question: 9

What is the recommended way to power up VxRail E, V, P, and S Series nodes?

A. Ensure the System Health indicator blinks amber for 10 minutes after power on

B. Use the power button on the rear panel to power on each node

C. Wait at least 30 seconds between powering up each node

EMC E22-285 Exam

D. Use the iDRAC interface to power on each node

Answer: A

Question: 10

You are reviewing a VxRail Pre-Installation Site Checklist.

What conclusion can be drawn about the VxRail deployment from the exhibit?

ISL Settings	Example Value Only	Actual Detail
ISL port speed	Choose from list, 10G or 40G	10G
ISL port Number	"17-19" for port number from 17 to 19 or "17-19"; "22" for port number from 17 to 19 and 22 or "49-51" for port number from 49 to 51	"1-2"

A. Top of Rack (ToR) switches will use two uplink ports

B. Upstream switches will have two ISLs

C. Two Top of Rack (ToR) switches will be used

D. Two Upstream switches will be used

Answer: B

Question: 11

Which software is included with VxRail and provides continuous replication of virtual machines deployed on a VxRail appliance?

A. VMware VM Snapshots

B. Dell EMC RecoverPoint for VMs

C. VMware vSphereData Protection

D. Dell EMC RecoverPoint CRR


Answer: B

Question: 12

During a VxRail installation, the deployment fails at 9%. Based on the exhibit, what could be the reason for this failure?

EMC E22-285 Exam

```
    },
    "vcenter": {
      "ip": ""
    },
    "psc": {
      "ip": ""
    },
    "evorail": {
      "ip": "192.168.80.12"
    }
  },
  "hostnames": {
    "hosts": {
      "prefix": "vxrail-cll-sax",
      "separator": "",
      "iterator": "NUMERIC_N"
    },
    "tld": "vlab.local",
    "vcenter": "",
    "psc": "",
    "evorail": "vxrail-cll-manager"
  },
  "passwords": {
    "esxiPassword": "Welcome! ",
    "esxiPasswordConfirm": "Welcome! ",
    "vcPassword": "Welcome! ",
    "vcPasswordConfirm": "Welcome! ",
    "activeDirectoryDomain": "",
    "activeDirectoryUsername": "",
    "activeDirectoryPassword": "",
    "activeDirectoryPasswordConfirm": ""
  },
  "global": {
    "logging": "NONE",
    "timezone": "europe/brussels",
    "loginSightServer": "",
    "loginSightHostname": "",
    "syslogServerCSV": "",
    "ntpServerCSV": "192.168.80.1",
    "dnsServerCSV": "192.168.80.1",
  }
}
```



- A. Domain name .local is not supported
- B. Password field has an extra space
- C. vCenter and PSC information is missing
- D. Timezone is in an incorrect format

Answer: C

Question: 13

A company wants to leverage their existing VMware vCenter Server for a new VxRail deployment. Which entities should already exist on the external vCenter Server for use by VxRail before the VxRail deployment?

- A. Data center and cluster
- B. Cluster and root level user
- C. Root level user, cluster, and data center