


HPE HPE0-S55 Exam

Volume: 40 Questions

Question No:1

Refer to exhibit.



You are installing three Synergy frames for a customer PoC in the configuration shown. The composer ids unable to discover the frames

What is the mostly likely cause of the problem?

- A. Another composer is needed frame3.
- B. Composer 2 is in the wrong frame.
- C. The management network should be connected to the top and bottom frames.
- D. The management ring should be connected using the FLM link ports.

Answer: C

Question No:2

Your customer has 500 sy480 Gen10 compute running a variety of physical and virtual workloads. They are looking for a way to get a unified view of the entire environment.

Which HPE product should you recommend?

- A. HPE Oneview for VMware vCenter
- B. HPE Oneview Global Dashboard

HPE HPE0-S55 Exam

C. HPE Oneview for red Hat Enterprise Virtualization

Answer: A

Question No:3

A customer has a ProLiant DL based Gen10 server solution hosting an I/O intensive 2TB database. The customer needs to dramatically increase the performance of their existing system.

- A. Install HPE Scalable persistence Memory
- B. Move the OS to an M2 SSO drive
- C. Update the current processor to a Xeon-platinum
- D. Install DO4 Smart Memory

Answer: A

Question No:4

A customer has received their frame Synergy System. However, they are missing a link cable that connects the frame link module between the frames
Which type of cable do they need?

- A. DAC
- B. MPO
- C. CATGA
- D. AOC

Answer: A

Question No:5

One of the DL380 Gen 10 servers in your infrastructure has failed to boot after a 3rd party PCIe NIC Was installed.

- A. HPE does not allow 3rd party PCIe cards.
- B. the latest support pack proLiant must be used before accessing any additional 3rd party

HPE HPE0-S55 Exam

product in the server.

C. The manufacture did not digitally sign the correct firmware and HPE secure Boot halted the process.

D. The ILO interface did not have a current IP provided from DHCP.

Answer: C

Question No:6

You customer has completed a successful proof of Concept (PoC) consisting of a single frame with dual composers and virtual Connect SE 40GB F8 modules.

The customer wants to:

*add a second frame before they move into production

*have unified management

*have separate logical enclosure for each frame

What are basic steps to add the second frame?

A. Move the standby composer to the second frame

B. Disconnect the existing management ring, and then cable the FLM (frame link module) in the first frame to the FLMs in the second frame

C. install a satellite module in the first frame

D. Move the bottom VC module from the first frame to the second

E. Move one of the uplinks from the FLM in the first frame to a FLM in the second

Answer: E

Question No:7

A customer needs a new high frequency trading cluster. Their current cluster has non-deterministic performance and undesirable latency. Because high frequency trades are extremely time sensitive transactions, the customer cannot tolerate the microseconds of delay that can randomly occur on current cluster.

Which ILO 5 Gen 10 feature can you purpose to address this technical requirement?

A. Turbo Cores

B. Jitter Smoothing

HPE HPE0-S55 Exam

C. Persistent Memory

D. NVMe drives

Answer: C

Question No:8

You have Customer who has thousands of proLiant servers spanning Gen9, Gen9, and Gen10 Across multiple server models (Rack, Tower, Blade, Apoll). All licensed with iLo Advanced. The customer needs an effective way to inventory and update the firmware across the environment.

A. iLO Amplifier pack

B. OneView

C. Intelligent provisioning

D. SUM(System update Manager)

Answer: B

Question No:9

A customer needs a Synergy proof of Concept (PoC) image Streamer. What is the minimum number of Synergy frame needed for this PoC?

A. 1

B. 2

C. 3

D. 5

Answer: C

Question No:10

A retail customer's real-time analytics application requires the fastest possible data access and over 768GB of database capacity. Their current HPE ProLiant DL 380 Gen9 servers are not meeting the performance requirements.

What should you recommend? (select two.)

HPE HPE0-S55 Exam

- A. ILO 5 Advanced license
- B. HPE Scalable persistence memory
- C. HPE proliant DL380 Gen10 servers
- D. PCIe workload Accelerator

Answer: C,D

Question No:11

A customer recently purchased HPE ProLiant Gen10 servers, but that their application does not appear to benefit newest eon processor.

Which features should be configured in the BIOS to overcome the issue?

- A. Server profile Templates
- B. ILO CNSA Mode
- C. Workload profiles
- D. High precision Event Timer

Answer: A

Question No:12

You want to from synergy management ring.
Which component is required?

- A. HPE Synergy image Streamer
- B. HPE Synergy frame Link Module
- C. HPE Synergy Composer
- D. HPE Synergy 10 GB interconnect Link Module

Answer: C

Question No:13