Magento M70-301 Exam

Volume: 107 Questions

Question No : 1
Which of the following is the correct code for assigning a custom template file using layout XML?

A. <block type="core/text_list" name="custom.template" template=" folder/custom_template.phtml"/>

B. <block type="core/template" name="custom template" template=" folder/custom_template.phtml"/>

C. <block type="block/template" name="custom template" template=" folder/custom_template.phtml"/>

D. <block type="cms/block" name="custom.template" template=" folder/custom_template.phtml"/>

E. <block type="block/html" name="custom template" template=" folder/custom_template.phtml"/>

Answer: B

Question No : 2
You want to create a wrapper block that uses an HTML tag name which is set by the actionsetHtmlTagName. The wrapper block should render all its child blocks within the HTML tag. Which block type should you use to create the wrapper block?

A. page/html

B. page/wrapper

C. page/div wrapper

D. page/html_wrapper

Answer: D

Question No : 3
You want to figure out which phtml-files are rendering in the front end. Which developer tool helps you do that?

A. Profiler

B. Exception.log

C. Block Class Names

D. Template Path Hints

E. System.log

Answer: D

Question No : 4
Which is the correct order of the three types of translations by priority (1 = highest, 3 = lowest)?

A. 1. Database (Inline) translation
2. Module translation
3. Theme translation

B. 1. Database (Inline) translation
2. Theme translation
3. Module translation

C. 1. Module translation
2. Database (In line) translation
3. Theme translation

D. 1. Theme translation
2. Database (In line) translation
3. Module translation

Answer: B

Question No : 5
Which piece of code creates a urlthat links to the store pages in transactional email templates?

A. {{store url=""}}

B. {{ store_page url=" "} }

C. {{ store_url=" "} }

D. {{ store_name url=" "} }

Answer: A

Question No : 6
Your project, which uses prototype.js, contains the JavaScript class Photoviewer (see EXAMPLE, below). Which one of the following code samples will create a class called AdvancedPhotoViewer that extends Photoviewe r?
EXAMPLE:
var PhotoViewer = Class.create();

A. var AdvancedPhotoViewer = new PhotoViewer()

B. AdvancedPhotoViewer.prototype = Object.extend (new PhotoViewer ()

C. var AdvancedPhotoViewer = Class.extend (PhotoViewer)

D. AdvancedPhotoViewer = PhotoViewer.extend ()

Answer: B

Question No : 7
Which element in layout XML specifies a method to be called on a referenced or newly defined block?

A. <action>

B. <call>

C. <change>

D. <method>

E. <update>

Answer: A

Question No : 8
Which one of these code samples will assign a root template to a specific page of native Magento?

```
C A.  <default>
          <reference name="catalog_product_view">
              <action method="setTemplate">
                  <template>page/3columns.phtml"</template></action>
          </reference>
      </default>

C B.  <cms_index_index>
          <reference name="default">
              <action method="setTemplate">
                  <template>page/3columns.phtml"</template></action>
          </reference>
      </cms_index_index>

C C.  <customer_account_login>
          <reference name="template">
              <action method="setTemplate">
                  <template>page/3columns.phtml"</template></action>
          </reference>
      </customer_account_login>

C D.  <catalog_product_view>
          <reference name="root">
              <action method="setTemplate">
                  <template>page/3columns.phtml"</template></action>
          </reference>
      </catalog_product_view>
```

A. Option A

B. Option B

C. Option C

D. Option D

Answer: D

Question No : 9
You want to create a new"screendesign"package based on the"default"package's"default"theme.
Which ONE of the following steps do you have to take?

A. Copy app/design/base to app/design/screendesign

B.   Create   an   empty   folder   app/design/frontend/screendesign   and   copy
app/design/frontend/default/default into it

C. Create skin/frontend/screendesign, then copy the CSS and images folders and their files from /skin/frontend/default/default/ to skin/frontend/screendesign/default

D. Inside app/design/frontend and skin/frontend, copy the folder "default" to the folder "custom"; then rename custom/default to custom/screendesign in both places

E. Create app/design/frontend/default/screendesign

Answer: C

Question No : 10
Which ONE of the following adds links to the top links navigation?

```
A.  <block name="top.links" type="page/template_links">
        <mylink>
            <label>I HAS A SHOP</label>
            <url>http://magento.com</url>
            <title>ITZ A MAGENTO</title>
        </mylink>
    </block>
```

```
B.  <action method="addLink" block="top.links">
        <label>I HAS A SHOP</label>
        <url>http://magento.com</url>
        <title>ITZ A MAGENTO</title>
    </action>
```

```
C.  <reference name="top.links">
        <link>
            <label>I HAS A SHOP</label>
            <url>http://magento.com</url>
            <title>ITZ A MAGENTO</title>
        </link>
    </reference>
```

```
D.  <update handle="top.links" method="addLink">
        <label>I HAS A SHOP</label>
        <url>http://magento.com</url>
        <title>ITZ A MAGENTO</title>
    </update>
```

A. Option A

B. Option B

C. Option C

D. Option D

Answer: B

Question No : 11
When a block of type _____ is rendered, all its child blocks are rendered automatically, without the need to call the getChildHtml () method.

A. Page/html

B. Core/template

C. Core/text_list

D. Page/html_wrapper

Answer: C

Question No : 12
Which is the correct type attribute for a structural block?

A. core/block

B. core/html_wrapper

C. core/text

D. core/text_list

Answer: D

Question No : 13
Within a Magento instance configured to use the package name"my_package"and the theme name"my_theme", which file would override the default catalog search template?

A. app/frontend/base/my_package/my_theme/template/catalogsearch/form.mini.phtml

B. app/design/frontend/base/default/template/customsearch/form.mini.phtml

C. app/design/frontend/my_theme/my_package/template/catalogsearch/custom.form.mini.pht ml

D. app/design/frontend/my_package/my_theme/template/catalogsearch/form.mini.phtml

E. app/frontend/default/my_theme/customsearch/form.mini.phtml

Answer: D

Question No : 14
You have added some HTML to a custom template located at"template/mytemplates/custom.phtml".
Which code snippet is the correct way to create a block for custom.phtml in the layout XML?

A. <block type="core/template" name="custom" template="mytemplates/custom.phtml"/>

B. <block type="core/template" name="custom" template="template/mytemplates/ custom.phtml"/>

C. <block type="custom1' name="custom" template="template/mytemplates/ custom.phtml"/>

D. <block type="custom" name="custom" template="mytemplates/custom.phtml"/>

Answer: A

Question No : 15
You need to add a custom structural block template to a block that will render all children automatically.
Which three attributes are required in the block's XML definition? (Choose THREE.)

A. after

B. as

C. before

D. name

E. template

F. type

Answer: D,E,F

Question No : 16
You want to add additional XML ("Additional XML Declaration") to an existing layout block. Which is the proper tag for adding it?

A. <reference type="block">Additional XML Declaration</ reference>

B. <action method="addNewBlock"><block name>Additional XML Declaration <I block name></ action>

C. <reference name="block.name">Additional XML Declaration</reference>

D. <method action= "setBlockContent"><xml>Additional XML Declaration</xml></method>

Answer: C

Question No : 17
What is the proper layout update handle for adding a CSS file to the product page?

A. <product>

B. <catalog_product>

C. <catalog_product_view>

D. <default>

Answer: C

Question No : 18
The name of a design package in the Design tab of the System->Configuration window in Admin is also used as _____ and _____ . (Choose TWO.)

A. a folder name in app/design/frontend

B. a configuration value taken from index.php

C. a folder name in skin/frontend

D. a setting in the menu System -> Design

E. a folder name in app/design/frontend/base

Answer: A,C

Question No : 19
You have a"custom/default"design package. You need to edit this file:
/app/design/frontend/base/default/template/page/html/header.Phtml
Which method is a bad practice because the file will be overwritten duringMagento upgrades?

A. Edit the "base/default" file directly.

B. Create a new module in "base/default" called "custom" and copy the file there for editing.

C. Create a new package called "custom/custom" and copy the file there for editing.

D. Copy the file to "custom/default" for editing.

Answer: A

Question No : 20
Given a configured package"tmypackage"and a configured theme"mytheme", which THREE of the following templates would be part of the design fallback? (Choose THREE.)

A. mypackage/default/template/my/template.phtml

B. base/mytheme/template/my/template.phtml

C. default/default/template/my/template.phtml

D. base/default/template/my/template.phtml

E. default/mytheme/template/my/template.phtml

F. mypackage/mytheme/template/my/template.phtml

Answer: A,D,F

Question No : 21
Which four of the following page elements can be updated from the Magento Admin in System->
Configuration-> Design? (Choose FOUR.)

A. Breadcrumb Separator

B. Copyright

C. Favicon

D. Logo

E. Navigation

F. Page Title

G. Top Links

Answer: B,C,D,F

Question No : 22
What result will be produced by the following layout handle?

```
<catalog_category_layered>
    <reference name="left">
        <action method="unsetChild"><name>catalog.leftnav</name></action>
    </reference>
    <reference name="content">
        <action method="insert"><child>catalog.leftnav</child></action>
    </reference>
</catalog_category_layered>
```

A. On a non-anchored category page the layered navigation will be moved into the main content block.

B. On an anchored category page the layered navigation will be moved into the main content block.

C. On an anchored category page the layered navigation will be removed from the page.

D. This XML will produce a syntax error.

Answer: B

Question No : 23
Based on the code below, what color will a browser display in rendering the text inside the div tag?

```
<style>
    div { color: black; }
    #red { color: red; }
    .blue { color: blue; }
</style>

<div id="red" class="blue" style="color: green;">What color is this text?</div>
```

A. green