

IBM P2090-045 Exam

Volume: 55 Questions

Question No: 1

For the Information Server Repository, which Relational Database Management System (RDMS) CANNOT be used?

- A. Microsoft SQL Server
- B. Informix
- C. DB2 UDB
- D. Oracle

Answer: B

Question No: 2

Where are Table Definitions stored?

- A. Information Server metadata repository
- B. In the file system as a binary file
- C. In the file system as a csv file
- D. None of the above

Answer: A

Question No: 3

Which of the following is a valid Write Table action in the Connector Stages?

- A. Append
- B. Replace
- C. Truncate
- D. All of the above

IBM P2090-045 Exam

Answer: D

Question No: 4

Which type of Join would you select for the Join Stage to output unmatched records from both input data sources?

- A. Inner join
- B. Left outer join
- C. Right outer join
- D. Full outer join

Answer: D

Question No: 5

In a Job Sequence, what is the purpose for the use of Checkpoints?

- A. Monitor performance and failure for each stage
- B. Automatically restart a job
- C. Record the log information for each trigger
- D. Restart a job from the latest Checkpoint in case of job failures

Answer: D

Question No: 6

Using a Job Sequence, which of the following tasks CANNOT be performed?

- A. Define specific user variables and make them available within a Job Sequence
- B. Drop a database table using a script, then start two different parallel jobs in sequence when a file appears in a specific directory
- C. Run two different parallel jobs in sequence and use job parameters to pass different \$APT_CONFIG_FILE values for each of them

IBM P2090-045 Exam

D. Create multiple Exception Handlers stages to handle different types of failures

Answer: D

Question No: 7

Which statement about Metadata Workbench is incorrect?

A. It can extend data lineage to display data integration flows that are outside of Information Server

B. It relies on the repository functions in DataStage Designer for impact analysis

C. It displays data lineage reports

D. It allows Metadata Workbench administrators to associate data stewards with data objects

Answer: B

Question No: 8

A Job Sequence CANNOT contain _____.

A. Transformer Stages

B. Sequencer Stages

C. Triggers

D. Job Activity Stages

Answer: A

Question No: 9

In DataStage, which client can be used to set environment variables at project level?

A. DataStage Designer

B. DataStage Administrator

C. DataStage Director

D. Information Server Web Console

IBM P2090-045 Exam

Answer: B

Question No: 10

What action will a Lookup Stage take when "Drop" is selected as the Lookup Failure Option?

- A. Stage reports an error
- B. Stage skips the input record
- C. Stage rejects the Input record
- D. Job gets aborted

Answer: B

Question No: 11

The ODBC Connector Stage can be used to connect to _____.

- A. Oracle database
- B. Teradata database
- C. DB2 database
- D. All of the above

Answer: D

Question No: 12

Which of the following components need to be up and running in order to use InfoSphere Discovery Studio?

- A. WAS (WebSphere Application Server)
- B. The ASB agent
- C. The database holding the Information Server Metadata Repository
- D. All of the above

IBM P2090-045 Exam

E. None of the above

Answer: E

Question No: 13

Which of the following CANNOT be defined in the DataStage configuration file?

- A. Degree of parallelism
- B. Scratch disk dedicated for sorting
- C. Compilation options for DataStage jobs
- D. A named pool including only part (some) of the nodes

Answer: C

Question No: 14

In DataStage Sequential File Stage, how is a NULL value represented?

- A. By a space character
- B. By a 'NULL' string
- C. A -1 for an integer field and an empty string for a VARCHAR field
- D. As defined by the Developer in the extended properties of the field

Answer: D

Question No: 15

Which of the following is NOT an option for the Reject Mode setting of a Sequential File Stage?

- A. Continue
- B. Reject
- C. Fail
- D. Output