

IBM P9530-039 Exam

Volume: 31 Questions

1. What is required for WebSphere MQ v7 to support publish-subscribe messaging?

- A. A queue manager
- B. A publish-subscribe broker that has the same name as the queue manager
- C. A separate broker process that is associated with each queue manager
- D. A SupportPac is available to provide publish-subscribe functionality

Answer: A

2. What commands are used to start and stop MQ tracing?

- A. mqtrace and mqstop
- B. trace and endtrace
- C. strmqtrc and endmqtrc
- D. traceon and traceoff

Answer: C

3. When an MQ application running on a distributed platform connects to a local queue manager, which statement is TRUE regarding security checks?

- A. The queue manager uses the operating system userid associated with the MQ application.
- B. The queue manager authenticates the MQ application userid associated with MQ application.
- C. The queue manager examines the value of the MCAUSER field.
- D. The queue manager examines the value of the SSLPEER field.

Answer: A

IBM P9530-039 Exam

4. To write a message to a WebSphere MQ v7 queue, which of the following MQI API calls is NOT a required step of the application programming code?

- A. MQCONN
- B. MQPUT
- C. MQSET
- D. MQLPEN

Answer: C

5. On distributed systems, to determine the access rights a user has to a WebSphere MQ object which entity most accurately describes where to look?

- A. Access control lists
- B. Object authorities
- C. Object rights
- D. Object privileges

Answer: B

6. What is the prefix for WebSphere MQ error messages?

- A. AMQ
- B. WMQ
- C. MQR
- D. MQE

Answer: A

7. In order to write messages to a queue what operation must be done first?

IBM P9530-039 Exam

- A. Connect to the queue
- B. Verify queue is empty
- C. Set the queue to read/write mode
- D. Open the queue

Answer: D

8. Which of the following functions has been added to WebSphere MQ Explorer in WebSphere MQ v7?

- A. Rollback in-doubt transactions from the WebSphere MQ Explorer
- B. Change WebSphere MQ administrator password from the WebSphere MQ Explorer
- C. Command line interface for WebSphere MQ Explorer
- D. Create and configure WebSphere MQ JMS administered objects

Answer: D

9. Which of the following MQ objects does NOT have cluster workload balancing attributes?

- A. Queue
- B. Topic
- C. Channel
- D. Queue manager

Answer: B

10. What is the name of the command-line administrative interface?

- A. CLI
- B. MQE