Practice Exam Questions



P_SECAUTH_21

System Security Architect



EXAMKILLER

Help Pass Your Exam At First Try

SAPExam P_SECAUTH_21

SAP Certified Technology Professional - System Security Architect

Version: 4.0

[Total Questions: 137]

Question No: 1

What does the SAP Security Optimization Service provide? Note: There are 2 correct answers to this question.

- A. Analysis of the security vulnerabilities within an SAP landscape
- **B.** Results containing the list of patches that have to be applied.
- C. Configuration checks of SAP systems
- **D.** Analysis of the network configuration

Answer: B,C

Question No:2

How do you handle user "SAP 'in AS ABAP? Note: There are 3 correct answers to this question.

- A. Remove all authorizations from the user
- B. Lock and expire the user in all clients
- C. Set profile parameter login/no_automatic_user_sapstar to 0
- D. Set profile parameter login/no_automatic_user_sapstar to 1
- E. Lock and expire the user in all clients except 000

Answer: A,B,D

Question No:3

You are running a 3-tier SAP system landscape. Each time you are accessing STMS_IMPORT on any of these systems, you are prompted for a TMSADM password. How can you stop this prompt from appearing?

- **A.** Run the report RSUSR405 on the domain controller.
- **B.** Reset the TMSADM user's password on the system you are trying to access STMS_IMPORT.
- **C.** Change the TMSA DM user's password directly in the TMS RFC destination in transact on SM59.
- **D.** Run the report TMS_ UPDATE_PWD_OF_TMSADM on the domain controller.

Answer: D

Question No: 4

Which users should exist in client 000?

Note: There are 2 correct answers to this question

- A. SAP*
- B. EARLYWATCH
- C. SAPCPIC
- D. TMSADM

Answer: A,B

Question No:5

What are the features of the Audit Information System (AIS)? Note: There are 2 correct answers to this question.

- **A.** The roles are built from nodes in the Implementation Guide (IMG)
- B. It can be launched directly using transact on SECR
- C. It offers two types of audit reports: system and business
- **D.** The report selection variables are configured during setup

Answer: C,D

Question No: 6

A user reports an issue with data not showing up in the visualization of the SAP Fiori tiles. You want to verify the target mapping. At what level are you going to check the target mapping?

- A. O At the catalog level in the SAP Fiori front-end server
- **B.** O At the group level in the SAP Fiori front-end server
- C. O At the group level in the SAP Fiori Launchpad
- **D.** O At the application level in the Web IDE

Answer: A

Question No:7

SAP P_SECAUTH_21 : Practice Test

Which type of systems can be found in the Identify Provisioning Service landscape? Note: There are 2 correct answers to this question

- A. Identify Provider
- B. Source
- **C.** Proxy
- D. Service Provider

Answer: A,B

Question No:8

Which of the following user types can be used to log on interactively? Note: There are 2 correct answers to this question

- A. System
- B. Dialog
- C. Communication
- **D.** Service

Answer: B,D

Question No:9

You want to carry out some preparatory work for executing the SAP Security Optimization Self-service on a customer system. Which of the following steps do you have to execute on the managed systems? Note: There are 2 correct answers to this question.

- A. Install the ST-A/PI plug-in
- **B.** Configure Secure Network Communications
- C. Configure specific authorizations
- **D.** Grant operating system access

Answer: A,C

Question No: 10

Which communication methods does the SAP Fiori Launchpad use to retrieve business data? Note: There are 2 correct answers to this question

- A. OData
- B. InA
- C. HOP
- D. SNC

Answer: B,D

Question No: 11

In your system, you have a program which calls transaction A. Users with access to this program can still execute transaction A without explicit authorizations given to this transaction. How do you prevent the access of users to the transaction A from within the program?

- **A.** Make sure you do NOT assign transact on A to the authorization object S_TCODE in the role that you assign to the unauthorized users.
- **B.** Maintain SE93 with authorization objects for transact on A.
- C. Maintain the check indicator in table TCDCOUPLES
- D. Ensure that transact on A is NOT assigned into the same program authorization group

Answer: B

Question No: 12

You are evaluating the "Cross-client object change" option using transact on SCC4 for your Unit Test Client in the development environment. Which setting do you recommend?

- A. Changes to repository and cross-client customizing allowed
- B. No changes to repository and cross-client customizing objects
- **C.** No changes to cross-client customizing objects
- **D.** No changes to repository objects

Answer: B

Question No: 13

You are running an SAP HANA database in a multi database container (MDC) mode with a single tenant configured. The global_auditing_state parameter has been set to "true" on the global.ini.After restarting the system and tenant databases, the tenant did not come up.

SAP P_SECAUTH_21 : Practice Test

When checking the cause, it was discovered that a tenant configuration parameter has been changed. The audit logging did NOT show any events. What could be the reason for this? Note: There are 2 correct answers to this question.

- A. The system was offline when the changes were done
- B. The audit level was set to INFO
- C. The global_auditing_state parameter on the nameserver.ini file needs to be activated
- **D.** The configuration parameter was changed from the OS level

Answer: C,D

Question No: 14

User1 grants role 1 to user2. Who can revoke role 1 role from user2?

- A. The system OBA user
- B. The owner of role 1
- C. Only User1
- D. Any user with the 'ROLE ADMIN' database role

Answer: D

Question No: 15

What information constitutes an indirect connection to an individual, in the context of GDPR? Note: There are 3 correct answers to this question

- A. National Identifier
- **B.** Postal Address
- C. Date of Birth
- D. License plate number
- E. IP Address

Answer: A,D,E

Question No: 16

What does the SAP Security Optimization Service provide? Note: There are 2 correct answers to this question.

SAP P_SECAUTH_21 : Practice Test

- **A.** Configuration check of the SAP systems and the SAP middleware components against defined configurations
- **B.** Results with recommendations on how to resolve identified vulnerabilities without prioritization
- **C.** Analysis of security vulnerabilities within an enterprise's SAP landscape to ensure optimal protection against intrusions
- **D.** Analysis of your operating system, database, and entire SAP system to ensure optimal performance and reliability

Answer: A,C

Question No: 17

Which Object ID is used to integrate Business Rule Framework (BRF+) to Multi Step Multi Process (MSMP) initiator workflow?

- A. Function ID
- **B.** Application ID
- C. Process ID
- D. Expression ID

Answer: A

Question No: 18

What are the characteristics of assertion tickets? Note: There are 2 correct answers to this question.

- A. They are used for user-to-system trusted login
- **B.** They are used for system-to-system communication
- **C.** They have an unconfigurable validity of 2 minutes
- **D.** They are transmitted as cookies

Answer: B,C

Question No: 19

You have Reason Codes already defined. Which is the correct sequence of steps to configure a Firefighter ID in Emergency Access Management?

A.

Maintain a Firefighter ID for Controllers and Firefighters

Maintain an Owner for a Firefighter ID

Maintain Assass Control Courses

Maintain Access Control Owner

В.

Maintain an Owner for a Firefighter ID Maintain a Firefighter ID for Controllers and Firefighters Maintain Access Control Owner

C.

Maintain an Owner for a Firefighter ID Maintain a Firefighter ID for Controllers and Firefighters Maintain Access Control Owner

D.

Maintain an Owner for a Firefighter ID Maintain a Firefighter ID for Controllers and Firefighters Maintain Access Control Owner

Answer: C

Question No: 20

A security consultant has activated a trace via ST01 and is analyzing the authorization error with Return Code 12. What does the Return Code 12 signify?

- A. "Objects not contained in User Buffer"
- B. "No authorizations and does NOT have authorization object in their buffer"
- C. "No authorizations but does have authorization object in their buffer"
- D. "Too many parameters for authorization checks"

Answer: C

Question No: 21

How do you check when and by whom profiles were assigned or deleted?

- A. Run report RSUSR008_009_NEW with appropriate filters
- B. Run report RSUSR100 with appropriate filters
- C. Check system trace using transaction ST01
- D. Check security audit log using transact on SM20

Answer: B

Question No: 22

Which platform services are available in the Cloud Foundry? Note: There are 2 correct answers to this question

- A. Commerce
- **B.** Integration
- C. Analytics
- D. Data Quality

Answer: B,C

Question No: 23

Which communication protocols are supported by the SAP Cloud Connector? Note: There are 2 correct answers to this question

- A. NNTP
- B. LDAP
- C. SNA
- D. RFC

Answer: B,D

Question No: 24

What are the characteristics of HTTP security session management? Note: There are 3 correct answers to this question

- A. Refers to the session context through the session identifier
- **B.** Checks the logon credentials again for every request
- C. Starts security sessions with a short user-based expiration time
- D. Deletes security sessions at logoff
- E. Creates security sessions at logon

Answer: A,D,E