# Practice Exam Questions



S1000-009

IBM PowerVC

Administrator Specialty



# **Total Question: 40 QAs**

Question No: 1

What are Storage connectivity groups (SCG) used for? Select three.

- A. SCGs define for which operating systems (AIX, Linux, IBM i) this SCG can be selected
- B. SCGs define which projects have access to the storage
- C. SCGs define the VIOS that can be used when selecting this SCG
- D. SCGs define how many VIOS should be used to connect the VM to the storage
- E. SCGs define the multi-pathing algorithm that should be used
- F. SCGs define the connection of a VM to the storage for boot and data volumes (vSCSI or NPIV)

Answer: A,B,F

Question No: 2

In the Host list section you can use Recall VMs. What does Recall VMs do?

- A. With a configured backup/restore facility Recall VMs can restore VMs from the backup system over the network.
- B. Recall VMs moves VMs back to the original host using LPM after a host exited the maintenance mode or is back after an automatic remote restart.
- C. Recall VMs saves all necessary VM information in the PowerVC database, that can be used in case of automatic remote restart.
- D. Recall VMs recreates VMs after a host outage by using LPAR profiles stored on the HMC and storage attributes stored in the PowerVC database.

Answer: B

Question No: 3

An administrator wants to add a volume to an Image. How can this be done? Select two.

- A. Delete the Image, but not the volumes. Create a new Image with the volumes and the additional volume.
- B. In a deployment using the Image, add the volume and select the Update image (lag.
- C. Deploy the Image, add the volume to the VM and capture the Image again.
- D. Use the powervc-image add <image> <volume(s)> command.
- E. In the Volumes section of the Image, add the volume.

Answer: B,D

Question No: 4

What can be done with Retype?

What does Private mean?

- A. The Image is only visible in the current project
- B. The Image is only visible for the current user
- C. The mage is only visible for cloud self-service users
- D. The Image is only visible for users with a deploy role

Answer: A

Question No: 5

Which three networking technologies are supported in PowerVC?

A. vNIC adapters based on SR-IOV technology

B. native SR-IOV logical ports

C. IP version 6

D. IP version 4

E. PowerVM Shared Ethernet Adapter (SEA) networks

F. iSCSI

Answer: A,B,E

# Question No: 6

What is true about the administrator assistant role?

- A. The administrator assistant role is part of PowerVC for Private Cloud to manage cloud related tasks.
- B. The administrator assistant has similar privileges as an administrator, but is not allowed to do remove or delete operations.
- C. An administrator assistant role has (he same privileges as an administrator but cannot JTs logged-in all the same time as an administrator.
- D. An administrator assistant has all privileges, but an administrator must approve the tasks before these will be executed.

Answer: B

## Question No: 7

What does the terraform state show command do?

- A. The command does a preview of the slate before applying changes
- B. The command is used to list all resources in PowerVC
- C. the command is used to inspect the current state of a specific resource
- D. the command is used to apply the changes required to reach the desired slate of the VM configuration Answer: B

### Question No: 8

What are two requirements for SAP Landscape Management (LaMa) in combination with PowerVC?

- A. SAP Basis administrator must configure the Storage Connectivity Group and Shared Ethernet Adapter
- B. PowerVC administrator must first provision SAP applications
- C. PowerVC administrator must export the public part of the certificate file from the PowerVC server and provide it to the SAP Basis administrator
- D. PowerVC administrator must create a user with administrator privileges for SAP LaMa to access monitoring and management tasks
- E. SAP Basis administrator must configure at least one SRIOV capable adapter and assign an IP address Answer: A,D

### Question No: 9

What is displayed in the Image volumes section when creating a Deploy template?

- A. Optical media volume
- B. Data volumes only
- C. Snapshot volume

D. Boot and data volumes

Answer: D

Question No: 10

Which service is required to store Images exported from PowerVC to be used with IBM Power Virtual Server (PowerVS)?

A. IBM Spectrum Virtualize service

B. IBM Spectrum Archive service

C. IBM PowerVS Cinder service

D. IBM Cloud Object Storage service

Answer: D

Question No: 11

What can be done with Retype?

- A. Retype changes the connection type of a volume (vSCSI or NPIV).
- B. Retype changes the Storage template of a volume.
- C. Retype changes the volume type (Data volume or Boot volume).
- D. Retype changes the volume formatting (512 byte sectors for AIX/Linux or 520 byte sectors for IBM i).

Answer: C

Question No: 12

Which APIs and extensions are used to manage the lifecycle and operations of storage resources on a PowerVC managed system?

A. Cinder APIs

B. Clerk APIs

C. Gnocchi APIs

D. Swift APIs

Answer: A

Question No: 13

On PowetVC for Private Cloud, which action can be performed by a user with the vm\_user role?

A. attach and detach volumes

B. view users and groups

C. start, stop, and restart the VM

D. deploy a VM from an image

Answer: C

Question No: 14

Which statement describes Automated remote restart?

- A. Automated remote restart monitors the resource utilization of physical hosts and virtual machines
- B. it utilizes Capacity on Demand to activate unused cores or mobile memory for a host
- C. Automated remote restart activates mobile memory to correct imbalances
- D. it monitors hosts for a failure and if a host fails, PowerVC automatically remote restarts the virtual machines on another host within the host group