



Microsoft Information Protection Administrator



EXAMKILLER

Help Pass Your Exam At First Try

Microsoft

Exam SC-400

Microsoft Information Protection Administrator

Version: 11.0

[Total Questions: 154]

Topic break down

Topic	No. of Questions
Topic 1: Misc. Questions	135
Topic 2: Fabrikam, Case Study	10
Topic 3: Contoso Case Study	9

Topic 1, Misc. Questions

Question No : 1 - (Topic 1)

You have a Microsoft 365 tenant that uses Microsoft Exchange Online.

You need to recover deleted email messages from a user's mailbox.

Which two PowerShell cmdlets should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Restore-RecoverableItems
- B. Get-MailboxRestoreRequest
- C. Restore-Mailbox
- D. Get-RecoverableItems
- E. Set-MailboxRestoreRequest


Answer: A,D

Reference:


<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-user-mailboxes/recover-deleted-messages>

Question No : 2 - (Topic 1)

You create a data loss prevention (DLP) policy. The Advanced DLP rules page is shown in the Rules exhibit.



The Review your settings page is shown in the review exhibit.



You need to review the potential impact of enabling the policy without applying the actions.

What should you do?

- A. Edit the policy, remove all the actions in DLP rule 1, and select I'd like to test it out first.
- B. Edit the policy, remove the Restrict access to the content and Send incident report to Administrator actions, and then select Yes, turn it on right away.
- C. Edit the policy, remove all the actions in DLP rule 1, and select Yes, turn it on right away.
- D. Edit the policy, and then select I'd like to test it out first.

Answer: D

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-dlp-policy-from-a-template?view=o365-worldwide>

Question No : 3 HOTSPOT - (Topic 1)

Microsoft SC-400 : Practice Test

Name	Labels to publish	Group	Apply this default label to documents
Policy1	Confidential Confidential – Low Confidential – Medium Confidential – High	Group1	Confidential
Policy2	All labels	Group2	Confidential – Medium
Policy3	Confidential Confidential – Low Confidential – Medium Confidential – High Top Secret	Group3	Top Secret

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Confidential label will be applied to all the documents created by User1.	<input type="radio"/>	<input type="radio"/>
User2 can apply the General label to all the documents created by User2.	<input type="radio"/>	<input type="radio"/>
User3 can change the label applied to a document created by User1.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The Confidential label will be applied to all the documents created by User1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can apply the General label to all the documents created by User2.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can change the label applied to a document created by User1.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Statements	Yes	No
The Confidential label will be applied to all the documents created by User1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can apply the General label to all the documents created by User2.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can change the label applied to a document created by User1.	<input checked="" type="radio"/>	<input type="radio"/>

Text

Description automatically generated

Question No : 4 HOTSPOT - (Topic 1)

While creating a retention label, you discover that the following options are missing:

- ✎ Mark items as a record
- ✎ Mark items as a regulatory record

You need to ensure that the options are available when you create retention labels in the Microsoft 365 compliance center.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
$UserCredential = Get-Credential
Import-Module
```

AzureRM
ExchangeOnlineManagement
Microsoft.Online.SharePoint.PowerShell
MicrosoftTeams

```
Connect-AzureRM -Credential $UserCredential
```

Connect-AadrmService
Connect-AzureAD
Connect-AzureRMAccount
Connect-IPPSSession

```
Set-ComplianceTag -Enabled $true
```

Enable-ComplianceTagStorage
New-ComplianceTag
Set-RegulatoryComplianceUI
Set-RetentionCompliancePolicy

Answer:


```
$UserCredential = Get-Credential
```

```
Import-Module
```

AzureRM
ExchangeOnlineManagement
Microsoft.Online.SharePoint.PowerShell
MicrosoftTeams

```
-Credential $UserCredential
```

Connect-AadrmService
Connect-AzureAD
Connect-AzureRMAccount
Connect-IPPSSession

```
-Enabled $true
```

Enable-ComplianceTagStorage
New-ComplianceTag
Set-RegulatoryComplianceUI
Set-RetentionCompliancePolicy

Explanation:

```
$UserCredential = Get-Credential
```

```
Import-Module
```

AzureRM
ExchangeOnlineManagement
Microsoft.Online.SharePoint.PowerShell
MicrosoftTeams

```
-Credential $UserCredential
```

Connect-AadrmService
Connect-AzureAD
Connect-AzureRMAccount
Connect-IPPSSession

```
-Enabled $true
```

Enable-ComplianceTagStorage
New-ComplianceTag
Set-RegulatoryComplianceUI
Set-RetentionCompliancePolicy

Question No : 5 HOTSPOT - (Topic 1)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Email address	Distribution group
User1	user1@contoso.com	Finance
User2	user2@contoso.com	Sales

You create the data loss prevention (DLP) policies shown in the following table.

Name	Order	Apply policy to	Conditions	Actions	Exceptions	User notifications	Additional options
Policy1	0	Exchange email for the Finance distribution group	Content shared with people outside my organization. Content contains five or more credit card numbers.	Encrypt the message by using the Encrypt email messages option.	user4@fabrikam.com	Send an incident report to the administrator.	If there's a match for this rule, stop processing additional DLP policies and rules.
Policy2	1	All locations of Exchange email	Content shared with people outside my organization. Content contains five or more credit card numbers.	Restrict access or encrypt the content in Microsoft 365 locations. Block only people outside your organization.	None	Send an incident report to the administrator.	None

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements

- If User1 sends an email message that contains five credit card numbers to user4@fabrikam.com, the message will be encrypted.
- If User1 sends an email message that contains five credit card numbers to orders@adatum.com, the message will be encrypted and delivered.
- If User2 sends an email message that contains five credit card numbers to orders@adatum.com, the message will be encrypted and delivered.

Yes

☐
☐
☐

No

☐
☐
☐

Answer:

Answer Area

Statements

- If User1 sends an email message that contains five credit card numbers to user4@fabrikam.com, the message will be encrypted.
- If User1 sends an email message that contains five credit card numbers to orders@adatum.com, the message will be encrypted and delivered.
- If User2 sends an email message that contains five credit card numbers to orders@adatum.com, the message will be encrypted and delivered.

Yes

☐
☒
☐

No

☒
☐
☒

Explanation:

Answer Area

Statements

- If User1 sends an email message that contains five credit card numbers to user4@fabrikam.com, the message will be encrypted.
- If User1 sends an email message that contains five credit card numbers to orders@adatum.com, the message will be encrypted and delivered.
- If User2 sends an email message that contains five credit card numbers to orders@adatum.com, the message will be encrypted and delivered.

Yes

☐
☒
☐

No

☒
☐
☒

Question No : 6 - (Topic 1)

You have a Microsoft SharePoint Online site that contains employee contracts in a document library named

Contracts.

The contracts must be treated as records in accordance with your company's records management policy.

You need to implement a solution to automatically mark all the contracts as records when they are uploaded to

Contracts.

Which two actions should you perform? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Create a sensitivity label.
- B. Create a retention label.
- C. Configure a default label on the Contracts document library.
- D. Create a retention policy.
- E. Create a SharePoint Records Center.
- F. Create a retention lock.

Answer: B,C

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-apply-retention-labels?view=o365-worldwide>

Question No : 7 - (Topic 1)

You have a Microsoft 365 tenant that contains the users shown in the following table.

Name	Role
User1	Global administrator
User2	Security administrator
User3	Compliance administrator
User4	Search administrator

You configure a retention label to trigger a disposition review at the end of the retention period.

Which users can access the Disposition tab in the Microsoft 365 compliance center to review the content?

- A. User1 only
- B. User2 only
- C. User3 only
- D. User1 and User3
- E. User3 and User4

Answer: C

Reference:

D18912E1457D5D1DDCBD40AB3BF70D5D

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/permissions-in-the-security-andcompliance-center?view=o365-worldwide>

Question No : 8 HOTSPOT - (Topic 1)

While creating a retention label, you discover that the Mark items as a regulatory record option is unavailable.

You need to ensure that the option is available when you create retention labels in the Microsoft Purview compliance portal.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

\$UserCredential = Get-Credential

Import-Module ExchangeOnlineManagement

Connect-IPSSession -Credential \$UserCredential

Set-RegulatoryComplianceUI -Enabled \$true

Answer:

Answer Area

\$UserCredential = Get-Credential

Import-Module ExchangeOnlineManagement

Connect-IPSSession -Credential \$UserCredential

Set-RegulatoryComplianceUI -Enabled \$true

Answer Area

\$UserCredential = Get-Credential

Import-Module ExchangeOnlineManagement

Connect-IPSSession -Credential \$UserCredential

Set-RegulatoryComplianceUI -Enabled \$true

Explanation:

Question No : 9 - (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are configuring a file policy in Microsoft Cloud App Security.

You need to configure the policy to apply to all files. Alerts must be sent to every file owner who is affected by the policy. The policy must scan for credit card numbers, and alerts must be sent to the Microsoft Teams site of the affected department.

Solution: You use the Data Classification service inspection method and send alerts to Microsoft Power Automate.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/dcs-inspection>

<https://docs.microsoft.com/en-us/cloud-app-security/data-protection-policies>

Question No : 10 DRAG DROP - (Topic 1)

You need to create a trainable classifier that can be used as a condition in an auto-apply retention label policy.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Retrain the trainable classifier.	
Create a terms of use (ToU) policy.	
Create the trainable classifier.	
Test the trainable classifier.	
Publish the trainable classifier.	

Answer:

Actions	Answer Area
Retrain the trainable classifier.	Create the trainable classifier.
Create a terms of use (ToU) policy.	Test the trainable classifier.
Create the trainable classifier.	Publish the trainable classifier.
Test the trainable classifier.	
Publish the trainable classifier.	

Explanation:

Actions	Answer Area
Retrain the trainable classifier.	1 Create the trainable classifier.
Create a terms of use (ToU) policy.	2 Test the trainable classifier.
	3 Publish the trainable classifier.

Question No : 11 - (Topic 1)

You are creating an advanced data loss prevention (DLP) rule in a DLP policy named Policy 1 that will have all

locations selected.

Which two conditions can you use in the rule? Each correct answer presents a complete solution. (Choose

two.)

NOTE: Each correct selection is worth one point.

- A. Content contains
- B. Content is shared from Microsoft 365
- C. Document size equals or is greater than
- D. Attachment's file extension is
- E. Document property is

Answer: A,B

Question No : 12 - (Topic 1)

You have a Microsoft 365 tenant.

All Microsoft OneDrive for Business content is retained for five years.

A user named User1 left your company a year ago, after which the account of User 1 was deleted from Azure Active Directory (Azure AD)

You need to recover an important file that was stored in the OneDrive of User1.

What should you use?

- A.** the Restore-SPODeletedSite PowerShell cmdlet
- B.** the OneDrive recycle bin
- C.** the Restore-ADObject PowerShell cmdlet
- D.** Deleted users in the Microsoft 365 admin center

Answer: B

Reference:

<https://docs.microsoft.com/en-us/onedrive/set-retention>

<https://docs.microsoft.com/en-us/onedrive/retention-and-deletion>

Question No : 13 - (Topic 1)

You need to create a retention policy to retain all the files from Microsoft Teams channel conversations and private chats.

Which two locations should you select in the retention policy? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A.** Team channel messages
- B.** OneDrive accounts

- C. SharePoint sites
- D. Exchange email
- E. Office 365 groups
- F. Team chats

Answer: B,C

Reference:

<https://support.microsoft.com/en-us/office/file-storage-in-teams-df5cc0a5-d1bb-414c-8870-46c6eb76686a>

Question No : 14 HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant.

You create sensitivity labels as shown in the Sensitivity Labels exhibit.

+ Create a label Publish labels Refresh

Name		Order	Scope
Public	...	0 – lowest	File, Email
General	...	1	File, Email
Confidential	...	2	File, Email
Internal	...	3	File, Email
External	...	4 – highest	File, Email

The Confidential/External sensitivity label is configured to encrypt files and emails when applied to content.

The sensitivity labels are published as shown in the Published exhibit.

Sensitivity Policy1[Edit policy](#)[Delete policy](#)**Name**

Sensitivity Policy1

Description**Published labels**

Public

General

External/External

Internal/Internal

Confidential

Published to

All

Policy settings

Users must provide justification to remove a label or lower its classification

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	<input type="radio"/>	<input type="radio"/>
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	<input type="radio"/>	<input type="radio"/>
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	<input type="radio"/>	<input checked="" type="radio"/>
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	<input type="radio"/>	<input checked="" type="radio"/>
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	<input checked="" type="radio"/>	<input type="radio"/>
Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	<input type="radio"/>	<input checked="" type="radio"/>
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	<input type="radio"/>	<input checked="" type="radio"/>
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Question No : 15 - (Topic 1)

You create three sensitivity labels named Sensitivity1, Sensitivity2, and Sensitivity3 and perform the following

actions:

- ✎ Publish Sensitivity1.
- ✎ Create an auto-labeling policy for Sensitivity2.

You plan to create a file policy named Policy1 in Microsoft Cloud App Security.

Which sensitivity labels can you apply to Microsoft SharePoint Online in Policy1?

- A. Sensitivity1 only
- B. Sensitivity1, Sensitivity2, and Sensitivity3
- C. Sensitivity2 only
- D. Sensitivity1 and Sensitivity2 only

Answer: D

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-sensitivity-label-automatically?view=o365->

worldwide

<https://docs.microsoft.com/en-us/cloud-app-security/azip-integration>

Question No : 16 HOTSPOT - (Topic 1)

You have Microsoft 365 ES subscription that has data loss prevention (DLP) implemented.

You plan to export DLP activity by using Activity explorer.

The exported file needs to display the sensitive info type detected for each DLP match.

What should you do in Activity explorer before the data, and in which file exported? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

In Activity explorer:

- Add a custom column
- Add a custom column
- Apply a built-in filter
- Customize the default filter

File type:

- CSV
- CSV
- JSON
- TXT
- XML

Answer:

Answer Area

In Activity explorer:

- Add a custom column
- Add a custom column
- Apply a built-in filter
- Customize the default filter

File type:

- CSV
- CSV
- JSON
- TXT
- XML

Explanation:

In Activity explorer:

File type:

Question No : 17 - (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are configuring a file policy in Microsoft Cloud App Security.

You need to configure the policy to apply to all files. Alerts must be sent to every file owner who is affected by the policy. The policy must scan for credit card numbers, and alerts must be sent to the Microsoft Teams site of the affected department.

Solution: You use the Data Classification service inspection method and send alerts as email.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/dcs-inspection>

<https://docs.microsoft.com/en-us/cloud-app-security/data-protection-policies>

Question No : 18 - (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant and 500 computers that run Windows 10. The computers are onboarded to the Microsoft 365 compliance center.

You discover that a third-party application named Tailspin_scanner.exe accessed protected sensitive information on multiple computers. Tailspin_scanner.exe is installed locally on the computers.

You need to block Tailspin_scanner.exe from accessing sensitive documents without preventing the application from accessing other documents.

Solution: From the Cloud App Security portal, you mark the application as **Unsanctioned**.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-using?view=o365-worldwide>

Question No : 19 - (Topic 1)

You have a sensitive information type based on a trainable classifier.

You are unsatisfied with the result of the result of trainable classifier.

You need to retrain the classifier.

What should you use in the Microsoft 365 compliance center?

- A. Labels from Information protection
- B. Labels from Information governance
- C. Content explorer from Data classification
- D. Content search

Answer: C

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-how-to-retrain-content-explorer?view=o365-worldwide>

Question No : 20 - (Topic 1)

You have a Microsoft 365 E5 subscription.

You create a role group named Role1.

You need to add a role to Role1 that will enable group members to view the metadata of records that were tagged for deletion automatically at the end of the records' retention period. The solution must use the principle of least privilege.

Which role should you add?

- A. Review
- B. View-Only Retention Management
- C. Retention Management
- D. Disposition Management
- E. Record Management

Answer: B

Question No : 21 - (Topic 1)

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers.

Solution: You enroll the computers in Microsoft intune.

Does this meet the goal?

A. Yes

B. No

Answer: B

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

Question No : 22 - (Topic 1)

You have a Microsoft 365 tenant that has devices onboarded to Microsoft Defender for Endpoint as shown in the following table.

Name	Type
Device1	Windows 8.1
Device2	Windows 10
Device3	iOS
Device4	macOS
Device5	CentOS Linux

You plan to start using Microsoft 365 Endpoint data loss protection (Endpoint DLP).

Which devices support Endpoint DLP?

- A. Device5 only
- B. Device2 only
- C. Device 1, Device2, Device3, Device4, and Device5
- D. Device3 and Device4 only
- E. Device1 and Device2 only

Answer: B

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-learn-about?view=o365-worldwide>


Question No : 23 HOTSPOT - (Topic 1)

You have a Microsoft SharePoint Online site named Site1 and a sensitivity label named Sensitivity1. Sensitivity1 adds a watermark and a header to content.


You create a policy to automatically apply Sensitivity1 to emails in Microsoft Exchange Online and Site1.

How will Sensitivity1 mark matching emails and Site1 documents? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Exchange Online emails: 

A header only
A watermark only
A watermark and a header


Site1 documents: 

A header only
A watermark only
A watermark and a header


Answer:

Exchange Online emails: 


A header only
A watermark only
A watermark and a header

Site1 documents: 

A header only
A watermark only
A watermark and a header

Exchange Online emails: 

A header only
A watermark only
A watermark and a header

Site1 documents: 

A header only
A watermark only
A watermark and a header

Explanation:

Question No : 24 - (Topic 1)

You create a retention label that has a retention period of seven years.

You need to ensure that documents containing a credit card number are retained for seven years. Other documents must not be retained.

What should you create?

- A. a retention label policy of type publish
- B. a retention policy that retains files automatically
- C. a retention policy that deletes files automatically
- D. a retention label policy of type auto-apply

Answer: D

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/apply-retention-labels-automatically?view=o365-worldwide>

Question No : 25 - (Topic 1)

You have a Microsoft OneDrive for Business folder that contains the files shown in the following table.

Type	Number of files
.jpg	50
.docx	300
.txt	50
.zip	20

In Microsoft Cloud App Security, you create a file policy to automatically apply a

classification.

What is the effect of applying the policy?

- A. The policy will apply to only the .docx and .txt files. The policy will classify the files within 24 hours.
- B. The policy will apply to all the files. The policy will classify only 100 files daily.
- C. The policy will apply to only the .docx files. The policy will classify only 100 files daily.
- D. The policy will apply to only the .docx and .txt files. The policy will classify the files immediately.

Answer: C

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/azip-integration>

Question No : 26 - (Topic 1)

You have a Microsoft 365 tenant.

You have a Microsoft SharePoint Online site that contains employment contracts in a folder named

EmploymentContracts. All the files in EmploymentContracts are marked as records.

You need to recommend a process to ensure that when a record is updated, the previous version of the record

is kept as a version of the updated record.

What should you recommend?

- A. Upload an updated file plan that contains the record definition.
- B. Unlock the record, modify the record, and then lock the record.
- C. Create a copy of the record and enter a version in the file metadata.
- D. Create a new label policy associated to an event that will apply to the record.

Answer: B

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/record-versioning?view=o365-worldwide>

Question No : 27 HOTSPOT - (Topic 1)

You are implementing Microsoft Office 365 Message Encryption (OME) for a Microsoft 365 tenant named contoso.com.

You need to meet the following requirements:

- All email to a domain named fabrikam.com must be encrypted automatically.
- Encrypted emails must expire seven days after they are sent-

What should you configure for each requirement? To answer, select the appropriate options

NOTE: Each correct selection is worth one point.

All email to a domain named fabrikam.com must be encrypted automatically:

<input type="checkbox"/> A data connector in the Microsoft 365 compliance center
<input type="checkbox"/> A data loss prevention (DLP) policy in the Microsoft 365 compliance center
<input type="checkbox"/> A mail flow connector in the Exchange admin center
<input type="checkbox"/> A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

<input type="checkbox"/> A custom branding template in Microsoft Exchange Online PowerShell
<input type="checkbox"/> A label policy in the Microsoft 365 compliance center
<input type="checkbox"/> A mail flow rule in the Exchange admin center
<input type="checkbox"/> A sensitive info type in the Microsoft 365 compliance center

Answer:

All email to a domain named fabrikam.com must be encrypted automatically:

<input checked="" type="checkbox"/> A data connector in the Microsoft 365 compliance center
<input checked="" type="checkbox"/> A data loss prevention (DLP) policy in the Microsoft 365 compliance center
<input checked="" type="checkbox"/> A mail flow connector in the Exchange admin center
<input type="checkbox"/> A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

<input checked="" type="checkbox"/> A custom branding template in Microsoft Exchange Online PowerShell
<input checked="" type="checkbox"/> A label policy in the Microsoft 365 compliance center
<input type="checkbox"/> A mail flow rule in the Exchange admin center
<input type="checkbox"/> A sensitive info type in the Microsoft 365 compliance center

All email to a domain named fabrikam.com
must be encrypted automatically:

▼
A data connector in the Microsoft 365 compliance center
A data loss prevention (DLP) policy in the Microsoft 365 compliance center
A mail flow connector in the Exchange admin center
A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days
after they are sent:

▼
A custom branding template in Microsoft Exchange Online PowerShell
A label policy in the Microsoft 365 compliance center
A mail flow rule in the Exchange admin center
A sensitive info type in the Microsoft 365 compliance center

Explanation:

Graphical user interface, text, application

Description automatically generated

Question No : 28 HOTSPOT - (Topic 1)

You create a sensitivity label as shown in the Sensitivity Label exhibit.

You create an auto-labeling policy as shown in the Auto Labeling Policy exhibit.

A user sends the following email:

From: user1@contoso.com

To: user2@fabrikam.com

Subject: Address List

Message Body:

Here are the lists that you requested.

Attachments:

<<File1.docx>>

<<File2.xml>>